

點竄問題集

上

T1A1

38

Se 27

官許

金澤關口開著述

初

點竄問題集

完

篇

明治五壬申二月出版

卧龍房藏



此卷者米利堅ダ空ス氏英吉利トードホントル氏等ノ諸書ヲ取テ以テ編輯ス然ルニ書中洋文字ヲ用テ題スト雖ニ書体洋書上通セルハ下卷譯文ヲ以テ題スル故也諸賢其順逆不正ナルヲ咎ムルヲ無ンハ幸甚

- (1) $ab + cb.$
- (2) $ad + b - d.$
- (3) $bc + ab - c.$
- (4) $(bc + a)b.$
- (5) $(bd - a)(ac - d).$
- (6) $(d + c)(d - c).$
- (7) $\frac{a+2b}{c} + d.$
- (8) $(a^2 - b)(c + d).$
- (9) $abc + cd + ad.$
- (10) $a + \frac{bc}{c} \times (c + d).$

Find the numerical values of the following expressions, when,

$$a = 1, b = 2, c = 3, d = 4$$

$$(11) ad - c + b.$$

$$(12) ab + bc - d.$$

記号用法

今 a フ二ト b フ三ト c フ四ト d フ五十ト
片ハ左ノ題ヲ數ニ換ヘテ答ヘシトヲ請フ原語ヲ以テ括弧ス

ステ書

when, $a=5, b=2, c=4, d=3$.

$$(26) \quad \frac{6}{a} - \frac{3}{b} + \frac{10}{c-d} - \frac{14}{c+d}$$

$$(27) \quad \frac{(ab^2 \times d)}{c} = \left(\frac{ab^2}{c} + d \right)$$

$$(28) \quad \frac{a^2 + b^2 - d^2}{a+b+d} + \frac{abcd}{2b+c} - \frac{4ab - 10bc + 2}{2c+d}$$

$$(29) \quad \frac{12(a+b^2)}{d^3} - (c-b) + \left(\frac{7}{a^2-b^2} \times \frac{14}{c^2-d^2} \right)$$

$$(30) \quad \{ [a+b \times c+d] b + a \} \times c$$

$$(73) \quad (a+b)c^2 - d$$

$$(74) \quad (a+b)(d-b)$$

$$(75) \quad (ab+ad)c + d$$

$$(76) \quad (ab+c)(ad-a)$$

$$(77) \quad 3a^2b^2 - 2(a+d+7)$$

$$(78) \quad \frac{a+c}{2} \times (a+d)$$

$$(79) \quad \frac{a^2 + b^2 + c^2}{7} \times \frac{a^3 + b^3 + c^3 - d}{2}$$

$$(80) \quad \frac{ab^4 - c - a^3}{b} \times \frac{4ab - b + d^3}{3^3}$$

when, $a=4, b=3, c=2, d=7$.

$$(21) \quad 5\left(\frac{ab}{3} - \frac{a-d}{3}\right)$$

$$(22) \quad 1(a^2b + 7)d = (a^2b + d)$$

$$(23) \quad 4(abc - \frac{b^3}{9}) \times (30c^3 - ab^3d^3)$$

$$(24) \quad \frac{a+b+c+abcd}{a-b+d} + \frac{4a^2 + b^2 - d^2}{b^2 + b}$$

$$(25) \quad \frac{75(a+a+b)}{3c^2} - \frac{a-c}{2} + \frac{3}{abd} \times a^3b^3c^3d^3$$

Ex. 12

Addition.

(3)	(2)	(7)
+ 4a ² bc	- 2a ² bc	+ 7a ² bc
- 2a ² bc	- 3a ² bc	- abc
+ 7a ² bc	- a ² bc	+ 3a ² bc
<u>- 5a²bc</u>	<u>- 8a²bc</u>	<u>+ 3a²bc</u>

(6)	(5)	(4)
c + bx ² + d	3a - 3bx	- 8a ² bc
4c - 2bx ² - 2d	9a - 5bx	+ 5a ² bc
<u>5c + 3bx²</u>	<u>5a - 4bx</u>	<u>- 2a²bc</u>
		+ 3a ² bc

(8)	(7)
4a + bc + 5d	3x ² y - 3yx - 4y + 2
2a + 2bc + 3d	3x ² y + 7yx - 8y
<u>3a - 3bc</u>	<u>8x²y - 5yx + 5y</u>

(75) add $x^3 - y^3 + 2xy^2 - 3x^2y$, $2x^3 + 2y^3 - 3xy^2 - 5x^2y$, $6x^2y + 6xy^2 - x^3 - y^3$, and $5xy^2 - 2y^3 - 4x^3 + 8x^2y$.

(76) " $2x + 3y - 4z - 10$, $8y - 4x + 7z + 8$, $11x + 5z - 10y - 2$, and $16 + 10x + 12y + 14z$.

(77) " $3x^3 + 2y^3 + z^3 + 8xyz$, $2x^3 + y^3 - 3z^3 - 4xyz$, $z^3 + 3x^3 - 2y^3 - 2xyz$, and $xyz + x^3 + y^3 + z^3$.

(78) " $x^4 + 3x^3y + x^2z - 2xv$, $30x^4 - 29x^2z + 18xv - 17x^3y$, $16xv + 22x^3y - 75x^4 - 32x^2z$, and $17x^2z - 12x^4 + 6x^3y - 11xv$.

(79) " $ax - by$, $x - y$, $ax - x$, and $ax + x$.

$$\begin{array}{ll} (70) & (9) \\ 4ab - 4c + 2(a+b) & 4cx^2 + 5dy^2 - 2z^3 + d \\ 3ab + 5c + 5(a+b) & 3cx^2 + 2dy^2 - 2z^3 \\ ab + c + 3(a+b) & \underline{2cx^2 - 5dy^2 + 5z^3} \\ -2ab + 7c - 4(a+b) & \\ ab - c - 2(a+b) & \end{array}$$

$$\begin{array}{ll} (72) & (77) \\ a + b + c & 12x^2y + 2(a+b)z^2 \\ a + b - c & -77x^2y - (a+b)z^2 \\ a - b + c & 4x^2y + 4(a+b)z^2 \\ -a + b + c & -3x^2y + 2(a+b)z^2 \\ & \underline{x^2y + (a+b)z^2} \end{array}$$

$$\begin{array}{ll} (74) & (73) \\ 2a^2 - 17ab + 3b^2 & 2ax + 3by \\ 5a^2 + 12ab - 5b^2 & 3ax + 2by \\ 12a^2 + 6ab - 9b^2 & 7ax + 6by \\ 3a^2 + 6ab + 3b^2 & \underline{8ax + 7by} \end{array}$$

(26) add $-b+3c-d-17.5e+6f-5g$,
 $3b-2c-3d-e+27f$, $5c$
 $-8d+3f-7g$, $-7b-6c+$
 $17d+9e-5f+17g$, $-3b$
 $-5d-2c+6f-9g+h$.

(27) " $7ab-3abc-8b^2c-9c^3$
 $+cd$, $8abc-5a^2b+3c^3$
 $-4b^2c+cd^2$, $4ab-8c^3-3d^3$
 $+9b^2c$.

(28) " $5a^2bc+6bx-4af$, $-3a^2bc$
 $-6bx+14af$, $-af+9bx$
 $+2a^2bc$, $6af-8bx+6a^2bc$.

(29) " $a^2n^2+3a^3m+b$, $-6a^2n^2-b$
 $-6a^3m$, $9b-9a^3m-3a^2n^2$,
 $7mn-5b-2a^3m+3a^2n^2$,
 $12a^3m+5a^2n^2+2b-3mn$,
 $a^2n^2+mn-a^3m$.

(20) add $ax+2bx+4by-3ay$, $2ax$
 $+bx+2ay-by$, and $4ax$
 $+3by$.

(21) " $px+qy+rz-c$, $2px-2qy$
 $+2c$, $3qy-px+4c$, and
 $7px-8qy-rz-3c$.

(22) " ax^2+a^2x-2ax , $x-ax+$
 $2x^2$, ax^2-2x+x^2 and $-2ax$
 $-2a^2x-2ax^2$.

(23) " $a^2x-ax^2-x^2$, $ax-x^2-a^2$,
 $-2a^2-2a^2x-2ax^2$, and
 $-3a^2x+3a^2+3ax^2$.

(24) " $a-x+4y-3z+w$, $x-w$
 $-y-3a-2x$, and $x+y$
 $+z$.

(25) " $ax^2y+bx^2yz^2+cxz^3$, dx^2yz^2
 $+cxz^3$, and $2ad^2y+4ddx$.

Ex. 3

Subtraction.

(3)

$$\begin{array}{r} 8a^2bc \\ - 4a^2bc \\ \hline \end{array}$$

(2)

$$\begin{array}{r} 13a^nb \\ - 9a^nb \\ \hline \end{array}$$

(1)

$$\begin{array}{r} 5a^nb^c \\ - 2a^nb^c \\ \hline \end{array}$$

(6)

$$\begin{array}{r} 10b^2d \\ - 3b^2d \\ \hline \end{array}$$

(5)

$$\begin{array}{r} 7ac \\ - 4ac \\ \hline \end{array}$$

(4)

$$\begin{array}{r} 12ab \\ - 6ab \\ \hline \end{array}$$

(9)

$$\begin{array}{r} 6a^2 - 8b \\ 3a^2 - 5b \\ \hline \end{array}$$

(8)

$$\begin{array}{r} -3a^4b^m \\ -5a^4b^m \\ \hline \end{array}$$

(7)

$$\begin{array}{r} -8a^2bc \\ + 3a^2bc \\ \hline \end{array}$$

(11)

$$\begin{array}{r} 4xy^2 + 4z \\ - 3xy^2 + 7z - 6x^3 \\ \hline \end{array}$$

(10)

$$\begin{array}{r} 3x^2 - 4x^2y + 8 \\ 5x^2 - 6x^2y - 3 \\ \hline \end{array}$$

(30) add $4a^3bc - 16a^4c - 9ax^3d, 6a^3bc$
 ~~$- 6ax^3d + 17a^4c, 16ax^3d - a^4c$~~
 $- 9a^3b^2c, 25a^4c + 4a^3b^2c + 4ax^3d.$

$$(23) 2x^3 - 3xy + 2y^2x - (x^3 + y^3 - y^2x)$$

$$(24) 3x - \{x - 3a - (2y - a)\}$$

$$(25) a^2 - (b^2 - c^2) - \{b^2 - (c^2 - a^2)\} + c^2$$
$$= (b^2 - a^2)$$

$$(26) x + y + z - (x - y) - (y - z) - (-y)$$

$$(27) 2(a - b) - c + d - \{a - b - 2(c - d)\}$$

$$(28) a + 2b - 6a - \{3b - (6a - 6b)\}$$

$$(29) 7a - \{3a - [4a - (5a - 2a)]\}$$

$$(30) 2x - [3y - \{4x - (5y - 6x)\}]$$

$$(12) \text{ From } 2a + b - c, \text{ subtract } a - b$$

$$(13) \text{ } \{3ac - 2b, \text{ } \{a - b - d\}$$

$$(14) \text{ } \{5ab - b, \text{ } \{-2ab + b\}$$

$$(15) \text{ } \{4y^2 - 3y + 4, \text{ } \{2y^2 + 2y + 4\}$$

$$(16) 219a^3 - 117a^2b + 218ab^2 + 145b^3$$

$$- (2b^3 + 4a^2b + 67ab^2 - 10b^3)$$

$$(17) a - x + 2y - 3z + w,$$

$$(2x + 3a - y + z - w)$$

$$(18) 5x^3 + x^2y - 6xy^2 + y^3$$

$$- (3x^3 + 4x^2y - 7xy^2 + y^3 - xy^3)$$

$$(19) y^4 - 4xy^3 + 7x^2y^2 - x^3y + 3x^4$$

$$- (2x^4 + 3x^3y + x^2y^2 + x^4y^3)$$

$$(20) 2px^2 + 2xy^2 - 8qxy$$

$$- (px^2 - 4qxy + 2pqy^2)$$

$$(21) 2x^3 - 3x^2y + 2xy^2 - (x^3 - xy^2 + y^3)$$

$$(22) 7x^2 - xyz + 18z$$

$$- (-3x^2 - 2xyz - p - q^2)$$

法規

$$(73) (a^2 + b^2 + c^2 - ab - ac - bc)$$

$$(a + b + c).$$

$$(74) (a^4 + a^3b + a^2b^2 + ab^3 + b^4)(a - b).$$

$$(75) (2a + bc - 2b^2)(2a - bc + 2b^2).$$

$$(76) \text{Multiply } 4ab - 2ac, \text{ by}$$

$$bab + 3ac.$$

$$(77) \text{ " } a + bx, \text{ by } a + cx.$$

$$(78) (x - 10)(x + 7)(x + 4).$$

$$(79) (x - 5)(x - 6)(x - 7)(x + 8).$$

$$(80) (a^3 + 3a^2b + 3ab^2 + b^3)$$

$$\quad \quad \quad (a^3 - 3a^2b + 3ab^2 - b^3).$$

$$(81) (x^2 - a^2)(x^2 - xa + a^2)(x^2 + xa + a^2).$$

$$(82) (x^n - 2ax^{n-1}y + y^2) \times 3xy^n.$$

$$(83) (a^n + 2a^{m+n}b^m + ab^m)(a^m - b^m).$$

$$(84) (x^n + y^n)(x^n + y^n).$$

$$(85) (x^n - y^n)(x^m + y^m)(x^n - y^n).$$

$$(86) (x^2 - x + 7)(x^4 - x^2 + 7)(x^4 - x^2 + 7).$$

Multiplication.

$$(7) \text{ Multiply } a + b, \text{ by } ab.$$

$$(8) \text{ " } x + y, \text{ " } xy.$$

$$(9) \text{ " } 2ab + 3b^2, \text{ by } ac.$$

$$(10) \text{ " } 7a^2c + 5c^2b, \text{ " } bcd.$$

$$(11) \text{ " } 6x^3y + x^2y^2, \text{ " } yz.$$

$$(12) \text{ " } x^2 - xy + y^2, \text{ " } x + y.$$

$$(13) \text{ " } x^2 - xy + y^2, \text{ " } x^2 + xy + y^2.$$

$$(14) \text{ " } 3x^2 - 2xy + 5,$$

$$\text{by } x + 2xy - 6.$$

$$(15) \text{ " } x^6 - x^5y + x^4y^2 - x^3y^3 + x^2y^4$$

$$-xy^5 + y^6, \text{ by } x + y.$$

$$(16) \text{ " } x^4 - 2x^3y + 4x^2y^2 - 8xy^3$$

$$+ 16y^4, \text{ by } x + 2y.$$

$$(17) \text{ " } 27a^3 - 13ab + 5b^2,$$

$$\text{by } 7a^2 + b^2.$$

$$(18) (a + x)(b + x)(c + x).$$

法 例

Division.

(1) Divide $6ab - 8ax + 4a^2y$, by $2a$.

(2) " $70a^2x - 75x^2$, " $5x$.

(3) " $5xy + 20x^2y - 45axy$, " $5xy$.

(4) " $-9a^2bc - 72ab^2c$, " $-3abc$.

(5) " $6a^2x^2y - 9ax^3y^2$, " $-3xy$.

(6) " $a^2 - b^2$, by $a + b$.

(7) " $4x^2 - y^2$, " $2x - y$.

(8) " $a^2 - 2ax + x^2$, " $a - x$.

(9) " $a^2 + ab - ac - bc$, by $a - c$.

(10) " $xy - y^2 - xz + yz$, " $y - z$.

(11) " $a^2 + 4ax + 4x^2$, " $a + 2x$.

(12) " $a^3 - 3a^2x + 3ax^2 - x^3$,
by $a - x$.

(13) " $a^3 + 5a^2x + 5ax^2 + x^3$,
by $a + x$.

(14) " $a^4 - b^4$, by $a^2 + a^2b + ab^2 + b^3$.

(27) $(x^4 - ax^3 + bx^2 - cx + d)$

$(x^4 + ax^3 - bx^2 + cx - d)$.

(28) $(x^3 + 4x^2 + 5x - 24)(x^2 - 4x + 17)$.

(29) $(x^3 - 4x^2 + 17x - 24)(x^2 + 4x + 5)$.

(30) $(a^4 - 2a^3 + 3a^2 - 2a + 1)$

$(a^4 + 2a^3 + 3a^2 + 2a + 1)$.

$$(26) a^5 + a^3b^2 + 2a^2b^3 - b^5 \div a^2 - ab + b^2$$

$$(27) x^3 + ax^2 + bx + c \div x - 2.$$

$$(28) 1 + 2x, \div 1 - 3x.$$

$$(29) 1 + 2x, \div 1 - x - x^2.$$

$$(30) 1, \div 1 + x.$$

$$(75) (a^4 - 4a^3y + 6a^2y^2 - 4ay^3 + y^4) \\ \div (a^2 - 2ay + y^2).$$

$$(76) 12x^4 - 792, \div 3x - 6.$$

$$(77) x^6 - 3x^4y^2 + 3x^2y^4 - y^6 \\ \div x^3 - 3x^2y + 3xy^2 - y^3$$

$$(78) x^{4n} + x^{nm}y^{mn} + y^{4m} \div x^{2n} + x^{mn}y^n + y^{2m}$$

$$(79) a^2 - b^2 + 2bc - c^2 \div a - b + c$$

$$(80) x^4 - 6x^2y^2 - 16xy^3 - 75y^4 \\ \div x^2 + 2xy + 3y^2$$

$$(81) ax^3 - a^2x^2 - bx^2 + b^2 \div ax - b$$

$$(82) mpX^3 + mqX^2 - npX^2 - mrX - nqX \\ + nr, \div mx - n.$$

$$(83) a^3x^2 - a^3x + a^2x^2 + 2a^2x - 2a^2 + 2ax \\ + ax^2 - ax^3 - x^4 \div a^2x + 2a - x^2$$

$$(84) -2a^{-8}x^5 + 77a^{-4}x^6 - 5x^7 - 24a^4x^8 \\ \div 2a^{-3}x^3 - 3ax^4$$

$$(85) a^3 - 3a^2x + x^3 \div a + x.$$

解 分 式 數 因

解 分 式 數 因

(27) Factor $4x^4 - 4x^2y + y^2$.

(28) " $36x^3 - 24xy + 4y^2$.

(29) " $4x^2y^2 - 4xyz + z^2$.

(30) " $a^2 - b^2$.

(31) " $4x^2 - 9y^2$.

(32) " $a^2c^2 - b^2d^2$.

(33) " $9ax^2 - 16a^2y^2$.

(34) " $25a^4b^4x^4 - 4x^2$.

(35) " $49x^4 - 16y^2$.

(36) " $x^2 + 13x + 42$.

(37) " $x^2 + 2x - 15$.

(38) " $x^2 - 15x + 56$.

(39) " $x^2 - x - 12$.

(40) " $8a^3 - b^3$.

(41) " $a^3 + 64m^3$.

(42) " $16a^4 + 36a^2b^2 + 81b^4$.

(43) " $a^4b^4 - 81c^4$.

Factoring.

(1) Factor $7a^2bc^3 - 28abc$.

(2) " $4x^4y^2 - 8x^2y^2$.

(3) " $6x^2y^2 + 12xy^3$.

(4) " $2a^2b + abc - abd$.

(5) " $7x^3y^3 - 7x^2y^3 + 7x^2y^2z$.

(6) " $75a^2cd + 20ac^2d - 75acd^2$.

(7) " $a^2 + 2ab + b^2$.

(8) " $4x^2 + 12xy + 9y^2$.

(9) " $x^2 + 72x + 36$.

(10) " $4x^4 + 4x^2y + y^2$.

(11) " $4a^2b^2 + 12abc + 9c^2$.

(12) " $16a^4y^4 + 8a^2y^4z^2 + y^4z^4$.

(13) " $a^2 - 2ab + b^2$.

(14) " $a^2x^2 - 2ax + c^2$.

(15) " $4x^2 - 4xy + y^2$.

(16) " $9a^2b^2 - 24a^2bc + 16a^2c^2$.

數度公大景

數度公大景

Greatest Common Divisor.

Find the greatest common divisors of the following;

- (1) of $42abx, 70acx$.
- (2) " $56acdxy, 24adx^2y$.
- (3) " $2x^3 - 4x^2y + 2xy^2, 2x^3 - 2xy^2$.
- (4) " $3ax^2 + 3x^3, 2ay + 2xy$.
- (5) " $4a^2c - 4acx, 3a^2g - 3agx$.
- (6) " $x^3 - y^3, x^2 - y^2$.
- (7) " $4c^2 - 12cx + 9x^2, 4c^2 - 9x^2$.
- (8) " $4ax^3 - 4axy^2, 12a^2x^2 - 12a^2y^2$.
- (9) " $2a^2x + 4a^2bx + 2ab^2x,$
 $4a^2x^3 + 8abx^3 + 4b^2x^3$.
- (10) " $2x^2 + 5xy + 3y^2, 3x^2 + xy - 2y^2$.
- (11) " $x^3 - 5x^2 + 7x - 3, x^2 + x - 12$.
- (12) " $3a^2x^3 - 3a^2y^3, 6ax^2 - 6ay^2$.
- (13) " $a^2 - 4, a^2 + 4a + 4$.

(34) Factor $9x^4y^2 + 24x^3y^3 + 16x^2y^4$.

(35) " $4x^2 - 12xy + 9y^2$.

(36) " $a^2b^2c^2 - c^2d^2$.

(37) " $x^2 + 9x + 18$.

(38) " $2a^2x^2 - 2b^2x^2$.

(39) " $a^2 - b^2 + 2bc - c^2$.

(40) " $a^4 - 9a^2b^2 - 6abc^2 - c^4$.

(41) " $6x^2 + xy - 12y^2$.

(42) " $a^2 + 2ab + b^2 - c^2$.

(43) " $6a^2 - 3ab + 5ac + 2bc - 6c^2$.

(44) " $x^5 + 32y^5$.

(45) " $64x^6 - 129y^6$.

$$(28) \text{ of } 3a^2 - 3b^2, 3a^2 + 6ab + 3b^2,
3axy + 3bxy.$$

$$(29) \text{ " } x^2 - 9, x^2 - 3x - 18,
x^2 + 7x + 24.$$

$$(30) \text{ " } x^2 - 3x - 28, x^2 - 7x + 28,
x^2 - 13x + 56.$$

$$(31) \text{ " } x^4 - 5x^2 + 6, x^4 - 7x^2 + 12,
x^4 + 2x^2 - 15.$$

$$(32) \text{ " } x^3 + 5x^2 + 2x + 3, x^3 + 3x^2 - x - 3,
x^3 + x^2 - 5x + 3.$$

$$(33) \text{ " } x^2 + x + 1, x^3 + 2x^2 + 2x + 1,
x^3 - 1.$$

$$(34) \text{ " } x^4 - x^2 + 2x - 1, x^3 - 2x^2 + 2x - 1,
x^3 + 1.$$

$$(35) \text{ " } x^2 + xy - y^2 - yz, x^2 + xy - yz - x^2,
xy + y^2 - xz - z^2.$$

$$(74) \text{ of } a^3 - ab^2, a^2 + 2ab + b^2.$$

$$(75) \text{ " } x^5 - x^3b^2, x^4 - b^4.$$

$$(76) \text{ " } x^2 + 2x - 3, x^2 + 5x + 6.$$

$$(77) \text{ " } 3x^2y + 3xy^2, 3x^2 + 6xy + 3y^2.$$

$$(78) \text{ " } x^4 + ax^3 - a^3x - a^4, x^4 + x^2a^2 + a^4.$$

$$(79) \text{ " } 20x^4 + x^2 - 1, 25x^4 + 5x^3 - x - 1.$$

$$(80) \text{ " } ab - 2a^2b^2 + b^4, a^3 - 3a^2b + 3ab^2 - b^3.$$

$$(81) \text{ " } 2a^2x^2, 4x^2y^2, 8x^3y.$$

$$(82) \text{ " } x^2 + 5x + 4, x^2 + 2x - 8,
x^2 + 7x + 12.$$

$$(83) \text{ " } 3a^n x^{n+1}, 6a^{2n} x^{n+1}, 27a^{3n} x^{2n}.$$

$$(84) \text{ " } x^2a - x^2b, 2ya^2 - 2yb^2, a^2 - ab.$$

$$(85) \text{ " } 7a^2 + 7ab, 4ab + 4b^2,
2ac + 2bc.$$

$$(86) \text{ " } 3x^2 - 6x, 2x^3 - 4x^2, x^2y - 2xy.$$

$$(87) \text{ " } 3x^2 + 6xy, 2xy + 4y^2,
4x^2 + 8xy.$$

數學二 小至

Least Common Multiple.

(75) of $x^2+5x+b, x^2+2x-8,$

$x^2+7x+12$

(76) " $x-1, x^2-1, x^2+4x-5.$

(77) " $10x(x+y), 8y(x-y), 5(x^2-y^2).$

(78) " $18x^4(x-y), 25x^3(x-y)^2, 12x^5(x-y)^3.$

(79) " $x^2-1, x^2+x-2.$

(80) " $6x^2-x-1, 2x^2+3x-2.$

(81) " $a-x, a^2-x^2, a^3-x^3.$

(82) " $3x^2-11x+6, 2x^2-7x+3,$
 $6x^2-7x+3.$

(83) " $3x^2-5x+2, 4x^3-4x^2-x+1$
 $6x^2-x-2.$

(84) " $2x-1, 4x^2-1, 4x^2+7.$

(85) " $x^2-4a^2, (x+2a)^3, (x-2a)^3.$

Find the least common multiples
of the following:

(1) of $6ab^2, 18a^2b.$

(2) " $6a^2xy, 8ax^2, 12x^2y^2.$

(3) " $a^2-b^2, a^2-2ab+b^2.$

(4) " $15x^2y^2, 6x^3y.$

(5) " $3x^2yz, 6xy^3, 9xyz.$

(6) " $3ab^2, bac^3, 4c^3d, b^2c^2.$

(7) " $ax-bx, ay-by, x^2y^2.$

(8) " $a-b, a^2-b^2, a^2-2ab+b^2.$

(9) " $8x^2(x-y), 15x^5(x-y)^2, 12x^3(x^2-y^2).$

(10) " $2a^2(a+x), 4ax(a-x).$

(11) " $a^3-x^3, a^2-x^2.$

(12) " $2x-1, 4x^2-1.$

(13) " $x^2+7x+12, x^2+8x+15.$

(14) " $x^2-y^2, x^3+y^3, x^4-2xy+y^2.$

法化數分

法化數分

Reduce the following fractions to a mixed quantity:

$$(2) \frac{x^2+x-4}{x+2}$$

$$(7) \frac{a^2+x^2}{a+x}$$

$$(4) \frac{x^2+a^2+3-2ax}{x-a}$$

$$(3) \frac{a^3+x^3}{a^2+2ax+x^2}$$

$$(5) \frac{30-17x-44x^4+32x^3}{15+17x-4x^2}$$

$$(7) \frac{x^2+3x-25}{x-4}$$

$$(6) \frac{4x-x^2+3-4}{4-x}$$

$$(8) \frac{2y^4+19y^2+35}{y^2-3y^2+7y-27}$$

Reduce the following mixed quantity to a fractional form:

$$(2) a + \frac{ax}{a-x}$$

$$(7) a + \frac{b}{c}$$

$$(4) a + \frac{ac+d}{c+d}$$

$$(3) 7 + \frac{c}{x-y}$$

$$(6) 1 + \frac{a^2+b^2-c^2}{2ab} \quad (5) x+y + \frac{x^2+y^2}{x-y}$$

$$(7) ab+cd + \frac{abc-c^2d-2cd^2}{c+2d}$$

分數變換

數分變換

Transformation of Fractions.
Reduce the following fractions to their lowest terms:

$$(2) \frac{14ax}{27ay}$$

$$(7) \frac{12a^2cd}{16abc}$$

$$(4) \frac{16abcx^2}{24a^2b^2x}$$

$$(3) \frac{45x^3y^3z}{36abcxy^2z}$$

$$(6) \frac{2(x^2-y^2)}{x^2-2xy+y^2}$$

$$(5) \frac{3a^2-3b^2}{4a-4b}$$

$$(8) \frac{x^2-a^2}{x^2+2ax+a^2}$$

$$(7) \frac{5(a^2-x^2)}{70(a-x)}$$

$$(10) \frac{3x^2-6x}{2xy-4y}$$

$$(9) \frac{3ax^2-3a^2x}{2x^2y-2axy}$$

$$(12) \frac{x^2+x-2}{2x^3-3x+1}$$

$$(7) \frac{x^2+2ax+a^2}{3(x^2-a^2)}$$

$$(13) \frac{x^2-9}{x^2-x-12}$$

$$(14) \frac{x^2-2ax+a^2}{7x^2y-10axy+3a^2y}$$

$$(15) \frac{72x^2-75x^4+3y^2}{6x^3-6x^2y+2xy^2-2y^3}$$

分 通

Reduce the following fractions to a least common denominator:

$$(74) \frac{4}{c-x}, \frac{5}{x^2}, \frac{6}{x^3}.$$

$$(75) 4, \frac{5}{a^2-x^2}, \frac{6}{a^2+x^2}, \frac{7}{y}.$$

$$(76) \frac{b}{ac}, \frac{c}{ab}, \frac{a}{bc}. \quad (77) \frac{a}{b}, \frac{c}{d}, \frac{d}{x}.$$

$$(78) \frac{xy}{x+y}, \frac{axy}{(x+y)^2}. \quad (79) \frac{a}{x-y}, \frac{a}{x+y}.$$

$$(80) \frac{x+a}{b}, \frac{a}{b}, \frac{a-r}{a}.$$

$$(81) \frac{a}{a^2-x^2}, \frac{b}{a-x}, \frac{c}{a+x}$$

$$(82) \frac{m}{4a(a+x)}, \frac{n}{4(a^2-x^2)}$$

$$(83) \frac{3x}{4}, \frac{4}{b}, \frac{72x^2}{75}.$$

$$(84) \frac{2b}{75}, \frac{3c}{5}, \frac{4d}{25}$$

$$(85) a, \frac{3b^2}{4}, \frac{5c^3}{b}$$

$$(86) \frac{x}{1-x}, \frac{x^2}{(1-x)^2}, \frac{x^3}{(1-x)^3}$$

$$(87) 3bx, \frac{a}{a+x}, \frac{b}{a^2-x^2}, \frac{c}{x}$$

$$(88) \frac{cx}{a-x}, \frac{dx^2}{a+x}, \frac{x^2}{a+x}$$

減法

Subtraction of Fractions.

(1) $\frac{a+2x}{a-2x} - \frac{a-2x}{a+2x}$.

(2) $4a + \frac{2a}{c} - (2a - \frac{a-3b}{c})$.

(3) $\frac{5x+3y}{4} - \frac{x-2y}{5}$.

(4) $\frac{a}{a-x} - \frac{x}{a+x}$.

(5) $\frac{x+y}{x-y} - \frac{x-y}{x+y}$.

(6) $a + \frac{a-x}{a(a+x)} - \frac{a+x}{a(a-x)}$.

(7) $3x + \frac{11x-10}{75} - (2x + \frac{3x-5}{7})$.

(8) $\frac{1}{y-x} - \frac{1}{y^2-x^2}$.

(9) $\frac{a}{a-x} + \frac{3a}{a+x} - \frac{2ax}{a^2-x^2}$.

(10) $\frac{3a-4b}{2} - \frac{2a-b-c}{3} + \frac{15a-4c}{12}$

$$\frac{a-4b}{24}$$

加法

Addition of Fractions.

(1) $a + \frac{1}{a} + \frac{1}{2b} + \frac{3x}{4a^2}$.

(2) $\frac{2}{a^2b^3} + \frac{3}{a^3b^2} + \frac{4}{a^3b^3}$.

(3) $\frac{2a}{3x^2} + \frac{a+2x}{4x} + \frac{a}{6x}$.

(4) $\frac{a}{a+b} + \frac{b}{a-b}$.

(5) $\frac{2x}{1-x^2} + \frac{1}{x+1}$.

(6) $\frac{2}{(x-1)^3} + \frac{3}{(x-1)^2} + \frac{4}{x-1}$.

(7) $\frac{a}{(1+a)(a+x)} + \frac{x}{(1-x)(a+x)}$.

(8) $\frac{1}{4(1+a)} + \frac{1}{4(1-a)} + \frac{1}{2(1-a^2)}$.

(9) $\frac{3x-4y}{7} + \frac{-2x+y+z}{3} + \frac{15x-4}{12}$.

(10) $\frac{a^2-bc}{(a+b)(a+c)} + \frac{b^2-ac}{(b+c)(a+b)} + \frac{c^2-ab}{(a+c)(b+c)}$.

$$\frac{a-4b}{24}$$

清華

清華數學

$$(71) \quad 3 + \frac{x}{4}, \quad x + \frac{4}{x}.$$

$$(72) \quad \frac{(a+b)^2}{2x}, \quad \frac{4x^2}{a+b}.$$

$$(73) \quad \frac{3x^2+7}{2}, \quad \frac{2y}{3}.$$

$$(74) \quad \frac{(x-7)^2}{y^3}, \quad \frac{(x+7)y^2}{x-7}.$$

$$(75) \quad m + \frac{1}{m} - 7, \quad m + \frac{1}{m} + 7.$$

$$(76) \quad x - \frac{y^2}{x}, \quad \frac{x}{y} + \frac{y}{x}.$$

$$(77) \quad \frac{x(a-x)}{a^2+2ax+x^2}, \quad \frac{a(a+x)}{a^2-2ax+x^2}.$$

$$(78) \quad \frac{a^2-x^2}{a+b}, \quad \frac{a^2-b^2}{x(a+x)}, \quad a + \frac{ax}{a-x}.$$

$$(79) \quad x + \frac{2xy}{x-y}, \quad x - \frac{2xy}{x+y}.$$

$$(80) \quad \frac{a^3-x^3}{a^3+x^3}, \quad \frac{a^2-x^2}{a^2+x^2}, \quad \frac{a-x}{a+x}, \quad \frac{a^2-ax+x^2}{a^2+ax+x^2}.$$

$$(81) \quad x^2+x+7, \quad \frac{1}{x^2}-\frac{1}{x}+7.$$

$$(82) \quad x+7+\frac{1}{x}, \quad x-7+\frac{1}{x}.$$

$$(83) \quad \frac{2a-b}{4a}, \quad \frac{6a-2b}{b^2-2ab}.$$

Multiplication of Fractions.

Find the products of the following fractions.

$$(1) \quad \frac{7x}{5y}, \quad \frac{3a}{4c}.$$

$$(2) \quad \frac{2x}{x-y}, \quad \frac{x^2-y^2}{3}.$$

$$(3) \quad 2\left(\frac{x+y}{x-y}\right), \quad \frac{x^2-y^2}{x^2+2xy+y^2}.$$

$$(4) \quad \frac{3x^2y}{4a}, \quad \frac{2a^2b}{c}.$$

$$(5) \quad \frac{yabc}{3cd}, \quad \frac{4x^2y^2}{3abc}.$$

$$(6) \quad \frac{yx-6}{3}, \quad \frac{2x}{5}.$$

$$(7) \quad \frac{2}{x-y}, \quad \frac{x^2-y^2}{a}.$$

$$(8) \quad \frac{ab}{4-x}, \quad \frac{3x^2}{a^2}.$$

$$(9) \quad \frac{x^2-4}{3}, \quad \frac{4x}{x+2}.$$

$$(10) \quad a + \frac{b}{x}, \quad b + \frac{a}{x}.$$

法 除 數

法 除 數 15

Division of Fractions.

- (1) Divide $\frac{3ax^2}{a^2-b^2}$, by $\frac{a}{a+b}$.
- (2) " $\frac{3x}{2x-2}$, " $\frac{2x}{x-1}$.
- (3) " $\frac{(x+y)^2}{x-y}$, " $\frac{x+y}{(x-y)^2}$.
- (4) " $x+\frac{x}{x-1}$, " $x-\frac{x}{x-1}$.
- (5) " $\frac{x^3-3x^2a+3xa^2-a^3}{x+a}$. by $\frac{x-a}{x+a}$.
- (6) " $\frac{x^4-y^4}{a^3+b^3}$, by $\frac{x-y}{a^2-ab+b^2}$.
- (7) " $x^2+2+\frac{1}{x^2}$, " $\frac{x}{x}+\frac{1}{ax}$.
- (8) " $\frac{2ax+x^2}{c^3-x^3}$, " $\frac{x}{c-x}$.
- (9) " $x+y+\frac{x^2}{y}$, " $x+y+\frac{y^2}{x}$.
- (10) " $\frac{x^2-9}{x^2+4x+4}$, " $\frac{x+3}{x+2}$.
- (11) " 1, by $\frac{1}{a}+\frac{1}{b}+\frac{1}{c}$.

$$(24) \frac{a}{a+b} + \frac{b}{a-b}, \quad \frac{a}{a+c} - \frac{b}{b+c}.$$

$$(25) \frac{1-x^2}{1+y}, \quad \frac{1-y^2}{x+x^2}, \quad 1 + \frac{x}{1-x}.$$

$$(26) \frac{a^4-b^4}{a^2-2ab+b^2}, \quad \frac{a-b}{a^2+ab}.$$

$$(27) \frac{x+y}{x-y}, \quad \frac{x+y}{x-y} - \frac{x-y}{x+y} - \frac{4y^2}{x^2-y^2}.$$

$$(28) \frac{a^3-b^3}{a^3+b^3}, \quad \frac{a+b}{a-b}, \quad \frac{(a^2-ab+b^2)^2}{(a^2+ab+b^2)^2}.$$

$$(29) \frac{x^2}{a^2} - \frac{x}{a} + 1, \quad \frac{x^2}{a^2} + \frac{x}{a} + 1.$$

$$(30) \frac{4(a^2-ab)}{b(a+b)^2}, \quad \frac{a^3-b^3}{bab}.$$

$$(7) \frac{3}{2y-3} - \frac{2y+15}{4y^2+9} = \frac{2}{2y+3}$$

$$(8) \frac{x}{1-x} = \frac{x^2}{(1-x)x} + \frac{x^3}{(1-x)^3}$$

$$(9) \left(\frac{x+2y}{x+y} + \frac{x}{y} \right) \div \left(\frac{x+2y}{y} - \frac{x}{x+y} \right)$$

$$(10) \frac{x^2-9x+20}{x^2-6x} \times \frac{x^2-73x+652}{x^2-5x}$$

$$(11) \frac{x^{3n}}{x^{n-1}} = \frac{x^{2n}}{x^{n+1}} + \frac{1}{x^{n+1}} \cdot \frac{1}{x^{n-1}}$$

$$(12) \frac{a^2-ax}{bc+bx} \times \frac{4(a+x)}{3(c-x)}$$

$$(13) \frac{a}{b} = \frac{a^2-b^2}{b^2}x + \frac{a(a^2-b^2)x^2}{b^2(b+a)}$$

$$(14) \frac{a^4-2a^2x^2+x^4}{a^3x+ax^3} \div \left(\frac{a+x}{a} \times \frac{a-x}{x} \right)$$

$$(15) \left(a + \frac{2ax-1}{b} \right) \div \frac{x-a}{ax+1}$$

(16) Divide $a^4 - \frac{7}{a^4}$, by $a - \frac{1}{a}$.

$$(17) \text{, } \frac{x^2}{y^3+x^2} \text{ by } \frac{x}{y^2} + \frac{1}{x} - \frac{1}{y}$$

$$(18) \text{, } \frac{a}{a+b} + \frac{b}{a-b} \text{ by }$$

$$\frac{a}{a-b} - \frac{b}{a+b}$$

$$(19) \text{, } \frac{x+2y}{x+y} + \frac{x}{y}, \text{ by } \frac{x+2y}{y} - \frac{x}{x+y}$$

Miscellaneous examples.

Simplify the following expressions.

$$(1) \frac{a^2+ab+b^2}{2} + \frac{a^2-ab+b^2}{2}$$

$$(2) \frac{1}{a-1} - \frac{2a}{a^2+1} + \frac{1}{a+1}$$

$$(3) \frac{y-2}{2} + \frac{y-2}{3} + \frac{y+1}{6}$$

$$(4) \frac{xy}{x^2-y^2} + \frac{1}{x+y} - \frac{1}{x-y}$$

$$(5) \frac{x-y}{y} + \frac{xy}{x-y} - \frac{x^3+x^2y}{x^2y-y^3}$$

$$(6) \left(x + \frac{x-2}{x+2y} \right) \div \left(1 - x \frac{y-2}{y+2x} \right)$$

次一章一

方程方法一

equations of the First Degree
with one unknown
quantity.

$$(72) \frac{b}{ax} - a^2 = b^2 - \frac{a}{bx}$$

$$(73) \frac{3x-4}{2} = \frac{x}{2} + \frac{x}{4} - \frac{1}{2}.$$

$$(74) \frac{x}{8} - 1 + \frac{x}{12} - \frac{x+5}{4} = -\frac{7}{4}.$$

$$(75) \frac{x+a}{b} - \frac{x}{a} = 1.$$

$$(76) \frac{x-7}{2} + \frac{x-2}{3} - \frac{x-3}{4} = 1.$$

$$(77) \frac{x}{3} - \frac{x}{4} - \frac{1}{2} = \frac{x}{5} - \frac{x}{6}.$$

$$(78) \frac{3x-1}{7} + \frac{6-x}{4} - \frac{2x-4}{72} = \frac{54-x}{28}.$$

$$(79) \frac{5x-7}{3} - \frac{3x-2}{7} = \frac{x-5}{4}.$$

$$(80) \frac{x}{8} - \frac{2(x-7)}{5} = \frac{3x-4}{15} + \frac{x}{72}.$$

$$(81) \frac{x-a}{3} - \frac{2x-3b}{5} - \frac{a-x}{2} = 10a + 11b.$$

$$(82) \frac{6x+a}{4x+b} = \frac{3x-b}{2x-a}.$$

$$(83) \frac{ax-b}{4} + \frac{a}{3} = \frac{bx}{2} - \frac{bx-a}{3}.$$

$$(84) \frac{a+c}{a+x} + \frac{a-c}{a-x} = \frac{2bx^2}{a^2-x^2}.$$

$$(1) \frac{x}{4} + \frac{2x}{3} = \frac{5}{6}.$$

$$(2) \frac{2x}{5} - \frac{5x}{3} = \frac{5}{2}.$$

$$(3) \frac{x}{7} + \frac{3x}{2} + \frac{x}{4} = 5$$

$$(4) \frac{13x}{72} + \frac{4}{3} = 6x, - \frac{19x}{4}$$

$$(5) \frac{x-4}{3} + \frac{x-2}{6} = \frac{5}{3}.$$

$$(6) -\frac{x-4}{3} - \frac{x-2}{6} = \frac{5}{3}.$$

$$(7) \frac{x-3}{72} + \frac{3x-4}{27} = 8.$$

$$(8) \frac{x}{3-x} + 4 = \frac{3}{5}.$$

$$(9) 73x + 16 = 7x + 20.$$

$$(10) 7x - 27 = -72x + 1.$$

$$(11) 5x - \frac{6x+3}{77} = \frac{7x+15}{2} - 3.$$

$$(38) \frac{3x-7}{5} + \frac{25-4x}{9} = \frac{5x-74}{3}$$

$$(39) 19x + \frac{7}{2}(7x-2) = 4x + \frac{35}{2}$$

$$(40) x = 3x - \frac{1}{2}(4-x) + \frac{1}{3}$$

$$(41) \frac{2x+5}{73} + \frac{40-x}{8} = \frac{10x-5}{79}$$

$$(42) \frac{5x-7}{2} - \frac{2x+7}{3} = 3x - 7$$

$$(43) \frac{x}{7} - \frac{x-5}{77} + 5 = x - \left(\frac{2x}{77} + 7\right)$$

$$(44) \frac{x-1}{2} + \frac{x-3}{3} = \frac{x+3}{4} + \frac{x+4}{6} + 1$$

$$(45) \frac{x-1}{x-2} - \frac{x-2}{x-3} = \frac{x-5}{x-6} - \frac{x-6}{x-7}$$

$$(46) (x-5)(x-2) - (x-5)(2x-5) \\ + (x+7)(x-2) = 0$$

$$(47) 3-x - 2(x-1)(x+2) \\ = (x-3)(5-2x)$$

$$(48) x-3 - (3-x)(x+7) \\ = (x-3)(7+x) + 3-x$$

$$(25) \frac{6x+13}{75} - \frac{3x+5}{5} = \frac{2x}{5}$$

$$(26) \frac{x-3}{2} + \frac{x}{3} = 20 - \frac{x-19}{2}$$

$$(27) 10\left(x + \frac{1}{2}\right) - 6x\left(\frac{1}{x} - \frac{1}{3}\right) = 23$$

$$(28) \frac{x}{12} - \frac{8-x}{8} - \frac{5+x}{4} + \frac{11}{4} = 0$$

$$(29) 3x-4 - \frac{4}{5} \times \frac{7x-9}{3} = \frac{4}{5}\left(6 + \frac{x-7}{3}\right)$$

$$(30) \frac{4x}{5-x} - \frac{20-4x}{x} = \frac{15}{x}$$

$$(31) \frac{7x+5}{23} + \frac{9x-1}{70} - \frac{x-9}{5} + \frac{2x-3}{75} = 23\frac{7}{5}$$

$$(32) \frac{ax}{b} + \frac{cx}{d} + g = qx + \frac{ex}{a} + h$$

$$(33) \frac{10x+17}{18} - \frac{72x+2}{77x-8} = \frac{5x-4}{9}$$

$$(34) \frac{1}{7}\left(x - \frac{1}{2}\right) - \frac{1}{5}\left(\frac{2}{3} - x\right) = \frac{43}{30}$$

$$(35) \frac{2x+1}{29} - \frac{40x-3x}{72} = 9 - \frac{477-6x}{20}$$

$$(36) \frac{2x-7}{3} - \frac{3x-2}{4} = \frac{5x-4}{6} - \frac{7x+6}{12}$$

$$(37) \frac{2x-9}{27} + \frac{x}{18} - \frac{x-3}{4} = 8\frac{7}{3} - x$$

二元一次方程

式 程 方 次 = 元 二
 equations of the First Degree
 with two unknown
 quantities.

- (1) $\frac{x}{3} + \frac{y}{5} = 5$, $2x + \frac{y}{3} = 17$
- (2) $3x + 4y = 18$, $2x - \frac{y}{2} = 1$.
- (3) $7x - 3y = 12$, $2x + 2y = 12$.
- (4) $5x + 3y = 26$, $5x - y = 18$.
- (5) $4x + 3y = 16$, $3x + 4y = 19$.
- (6) $6x + y = 12$, $x + 6y = 37$.
- (7) $4x + 5y = 17$, $3y - 2x = 8$.
- (8) $x - 3y = 6$, $2x + 9y = 14$.
- (9) $2x - \frac{3}{4}y = 9$, $x + y = 21$.
- (10) $\frac{x}{2} - y = 7$, $x - \frac{y}{2} = 8$
- (11) $\frac{x+y}{10} + \frac{x-y}{2} = 0$, $\frac{x+y}{5} + \frac{x-y}{2} = 7$.
- (12) $\frac{2x-y}{4} - \frac{3}{2} = \frac{3y}{4} - x - 2$,
 $\frac{x+y}{3} = 2\frac{2}{3}$

$$(49) \quad \frac{x+10}{3} - \frac{3}{5}(3x-4) + \frac{(3x-2)(2x-3)}{6} \\ = x^2 - \frac{8}{75}$$

$$(50) \quad (\frac{x+5}{2})(x - \frac{3}{2}) - (x+5)(x-3) + \frac{3}{4} = 0.$$

$$(25) \frac{2x+y}{9} + \frac{7x+6y+77}{18} = \frac{68-4x}{8},$$

$$\frac{21}{20} \left(\frac{x}{7} + \frac{y}{4} + \frac{4}{3} \right) = 4x - \frac{y}{8} - 24.$$

$$(26) \frac{x}{a} + \frac{y}{b} = 1, \quad \frac{x}{3a} + \frac{y}{6b} = \frac{2}{3}$$

$$(27) 5(2x+7y)-7 = \frac{2}{3}(2x-6y+7), \\ x = 4y.$$

$$(28) x + \frac{1}{2}(3x-y-7) = \frac{7}{4} + \frac{3}{4}(y-1), \\ \frac{7}{4}(4x+3y) = \frac{21y}{10} + 2.$$

$$(29) ax+by=c, \quad mx-ny=d$$

$$(30) \frac{3x-5y}{2} + 3 = \frac{2x+y}{5}, \\ 8 - \frac{x-2y}{4} = \frac{x}{2} + \frac{y}{3}.$$

$$(13) \frac{x}{2} + \frac{y}{3} = 12, \quad \frac{x}{3} + \frac{y}{2} = 13,$$

$$(14) \frac{x+y}{2} - \frac{x-y}{3} = 8, \\ \frac{x+y}{3} + \frac{x-y}{4} = 17,$$

$$(15) 2x - y = 43, \quad 10x - y = 7.$$

$$(16) 5x - 7y = 33, \quad 11x + 12y = 700.$$

$$(17) \frac{x}{2} + \frac{y}{3} = 1, \quad \frac{x}{3} + \frac{y}{4} = 1.$$

$$(18) 16x + 17y = 500, \quad 17x - 3y = 110.$$

$$(19) \frac{11x-5y}{20} = \frac{3x+y}{32}, \quad 8x - 5y = 1.$$

$$(20) 4x + 8y = 2.4, \quad 10.2x - 6y = 3.48.$$

$$(21) 73x + 71y = 4a, \quad 72x - 6y = a.$$

$$(22) \frac{m}{x} + \frac{n}{y} = 1, \quad \frac{m}{x} + \frac{m}{y} = 1,$$

$$(23) 3.4x - .02y = .07, \\ 2x + .4y = 1.2.$$

$$(24) \frac{x}{a} + \frac{y}{b} = 1 - \frac{x}{c}, \quad \frac{x}{b} + \frac{y}{a} = 1 + \frac{y}{c}.$$

第一单元 二元一次方程

二元一次方程

$$(8) \frac{6y - 4x}{3x - 7} = 1, \frac{5x - x}{2y - 3x} = 1,$$

$$\frac{y - 2x}{3y - 2x} = 1.$$

$$(9) \frac{3}{x} - \frac{4}{5y} + \frac{2}{z} = \frac{38}{5}, \frac{1}{3x} + \frac{1}{2y} + \frac{2}{z} = \frac{61}{6},$$

$$\frac{4}{5x} - \frac{1}{2y} + \frac{4}{z} = \frac{167}{10}.$$

$$(10) \frac{2}{x} - \frac{5}{3y} + \frac{7}{z} = \frac{85}{27}, \frac{1}{4x} + \frac{5}{4y} + \frac{3}{z} = \frac{43}{72},$$

$$\frac{5}{6x} - \frac{7}{4y} + \frac{4}{z} = \frac{433}{36}.$$

$$(11) x - 2y + 3z = 6, 2x + 3y - 4z = 20,$$

$$3x - 4y + 5z = 26.$$

$$(12) 4x - 3y + 2z = 40,$$

$$5x + 9y - 7z = 47,$$

$$9x + 8y - 3z = 97.$$

$$(13) 3x + 2y + z = 23,$$

$$5x + 2y + 4z = 46,$$

$$7x + 5y + 4z = 75.$$

equations of the First Degree with
more than two unknown
quantities.

$$(1) 3x - 4y + 5z = 14, 3y + 2z = 10,$$

$$7x - 6y - z = 30.$$

$$(2) x + \frac{y}{2} + z = 6, 5x + 2y - 3z = 0,$$

$$2x + y - z = 7.$$

$$(3) 3x + 2y - z = 7, x + y - z = 1,$$

$$x + 2y + 3z = 15.$$

$$(4) 2x - 2y + 3z = 16, 3x + 5y - 2z = 6,$$

$$4x + 3y - 4z = -7.$$

$$(5) \frac{x}{3} + \frac{y}{4} + \frac{z}{5} = 47, \frac{x}{4} + \frac{y}{5} + \frac{z}{6} = 38,$$

$$\frac{x}{2} + \frac{y}{3} + \frac{z}{4} = 62.$$

$$(6) \frac{x+y}{z} = 5, \frac{y-z}{x} = 1, \frac{x-y}{y} = \frac{1}{3}.$$

$$(7) x + \frac{1}{2}(y+z) = 102, y + \frac{1}{3}(x+z) = 78,$$

$$z + \frac{1}{4}(x+y) = 61.$$

$$(20) \begin{aligned} 3x - 4y + 3z + 3v - 6u &= 11, \\ 3x - 5y + 2z - 4u &= 11, \\ 10y - 3z + 3u - 2v &= 2, \\ 5z + 4u + 2v - 2x &= 3, \\ 6u - 3v + 4x - 2y &= 6. \end{aligned}$$

$$(14) \begin{aligned} 5x - 6y + 4z &= 75, \\ 7x + 4y - 3z &= 19, \\ 2x + y + 6z &= 46. \end{aligned}$$

$$(15) \begin{aligned} \frac{x}{x} + \frac{1}{y} &= \frac{3}{x}, \quad \frac{3}{x} - \frac{2}{y} = 2, \\ \frac{1}{x} + \frac{1}{y} &= \frac{4}{3}. \end{aligned}$$

$$(16) \begin{aligned} \frac{3x-1}{4} &= \frac{6z}{5} - \frac{x}{2} + 1\frac{4}{5}, \\ \frac{5x}{4} + \frac{4z}{3} &= y + \frac{5}{8}, \\ \frac{3x+1}{7} - \frac{z}{14} + \frac{1}{6} &= \frac{2z}{21} + \frac{4}{3}. \end{aligned}$$

$$(17) \begin{aligned} 7x - 3y &= 7, \quad 4z - 7y = 7, \\ 77x - 7u &= 7, \quad 19x - 3u = 7. \end{aligned}$$

$$(18) \begin{aligned} 3u - 2y &= 2, \quad 2x + 3y = 39, \\ 5x - 7z &= 77, \quad 4y + 3z = 47. \end{aligned}$$

$$(19) \begin{aligned} 4u - 2x &= 30, \quad 4y + 2z = 14, \\ 2x - 3y + 2z &= 13, \\ 5y + 3u &= 32. \end{aligned}$$

根 求

根 求
Evolution.

Extract the square roots of the following examples.

(1) $a^4 - 2a^3 + 3a^2 - 2a + 1.$

(2) $9x^2 - 30ax + 25a^2 + 5c^2 + \frac{a^4}{4} - 3d^2x.$

(3) $4x^4 + 8ax^3 + 4a^2x^2 + 16a^2x^2 + 16ab^2x^2 + 16b^4.$

(4) $\frac{ab}{b^2} + \frac{b^2}{a^2} + 2\left(\frac{a}{b} + \frac{b}{a}\right) + 3.$

(5) $\frac{x^2}{4} + \frac{y^2}{9} + \frac{z^2}{16} + \frac{xy}{3} - \frac{xz}{4} - \frac{yz}{6}$

(6) $\frac{x^2}{9} + \frac{4y^2}{25} + \frac{z^2}{16} + \frac{4xy}{75} - \frac{xz}{6} - \frac{yz}{5}.$

(7) $x^4 + 2px^3 + (p^2 - 2q)x^2 - 2pqx + q^2.$

(8) $(x + x^{-1})^2 - 4(x - x^{-1}).$

(9) $4x^4 + 12x^3 + 5x^2 - 6x + 1.$

(10) $4x^4 - 4x^3 + 5x^2 - 2x + 1.$

(11) $4x^4 - 12ax^3 + 25a^2x^2 - 24a^3x + 16a^4.$

(12) $25x^4 - 30ax^3 + 49a^2x^2 - 24a^3x + 16a^4.$

方 求

方 求
Involution.

(1) $(2a^2yx^3)^3.$

(2) $(a - 2)^2.$

(3) $(-3a^2bc^3x)^4.$

(4) $(2x^2y^3)^{-2}.$

(5) $(x^{-3}y)^{-2}.$

(6) $(a^2x^2y^2z^{-2})^{-3}.$

(7) $(2x^{-2}y^{-3})^{-2}.$

(8) $(c + d)^4.$

(9) $(a + b)^3.$

(10) $(a + b)^6.$

(11) $(a + b)^5.$

(12) $(c - d)^4.$

(13) $(a - b)^3.$

(14) $(c - d)^6.$

(15) $(a - b)^5.$

(16) $(7 + 2x + 3x^2)^2.$

(17) $(a + b - c)^3.$

(18) $(7 + 2x + x^2)^3.$

(19) $(7 - 3x + 3x^2 - x^3)^2.$

(20) $(7 - 3x + 3x^2 - x^3)^3.$

$$(23) \quad 64a^6 - 288a^5 + 7080a^3 - 7458a - 729$$

$$(24) \quad 7 - 6x + 27x^2 - 44x^3 + 63x^4 - 54x^5 + 27x^6.$$

$$(25) \quad a^3 + 3a^2b - 3ab^2 + 3b^3a + 3c^2a + b^3 - 6abc - 3b^2c + 3c^2b - c^3.$$

$$(26) \quad 8x^3 + 36x^2y - 24x^2z + 54yzx + 27y^3 - 72xyz + 24z^2x - 54y^2z + 36yzt - 8z^3.$$

$$(27) \quad 8x^6 - 36x^5 + 66x^4 - 63x^3 + 33x^2 - 9x + 7.$$

$$(28) \quad 8x^6 + 48x^5c + 60x^4c^2 - 80x^3c^3 - 90x^2c^4 + 708xc^5 - 27c^6.$$

$$(29) \quad 8x^6 - 36x^5c + 702x^4c^2 - 777x^3c^3 + 204x^2c^4 - 144xc^5 + 64c^6.$$

$$(30) \quad x^3 - \frac{7}{x^3} - 3x^2 - \frac{3}{x^2} + 5.$$

$$(31) \quad x^6 - 6x^5a + 75x^4a^2 - 20a^3x^3 + 75a^4x^2 - 6a^5x + a^6.$$

$$(32) \quad (a-b)^4 - 2(a^2+b^2)(a-b)^2 + 2(a^4+b^4).$$

$$(33) \quad 4\{(a^2-b^2)cd + ab(c^2-d^2)\}^2 + \{(a^2-b^2)(c^2-d^2) - 4abcd\}^2.$$

$$(34) \quad a^4 + b^4 + c^4 + d^4 - 2d^2(b^2+d^2) - 2b^2(c^2-d^2) + 2c^2(a^2-d^2).$$

$$(35) \quad 9a^{2m} + 6a^{3m+1} + 25c^{2m-4} + a^{4m+2} - 30a^mc^{m-2} - 70a^{2m+7}c^{m-4}.$$

$$(36) \quad 49x^4 + 9 - \frac{14x^3}{5} - \frac{6x}{5} + \frac{1057x^2}{25}.$$

$$(37) \quad 7 + x.$$

$$(38) \quad \frac{x^2}{y^2} \left(\frac{x^2}{4yz} + 1 \right) + \frac{4y^2}{x^2} \left(\frac{y^2}{xz} + 1 \right) + 3.$$

Extract the cube roots of the following examples.

$$(39) \quad 8x^3 - 12x^2 + 6x - 1.$$

$$(40) \quad x^6 - 6x^5 + 15x^4 - 20x^3 + 15x^2 - 6x + 1.$$

形根及數指方

系

Theory of Indices.

$$(1) \text{ Simplify } (x^{\frac{2}{3}} \times x^{\frac{4}{7}})^{\frac{1}{13}}$$

$$(2) \text{ " } a^{\frac{7}{2}} \times a^{-\frac{7}{3}} \times a^{-\frac{7}{4}} \times a^{-\frac{7}{5}}$$

$$(3) \text{ " } \left(\frac{ay}{x}\right)^{\frac{7}{2}} \times \left(\frac{bx}{y^2}\right)^{\frac{7}{3}} \times \left(\frac{y^2}{a^2 b^2}\right)^{\frac{7}{4}}$$

$$(4) \text{ " } a^{\frac{7}{3}} \times a^{-\frac{5}{4}} \times \sqrt{a^4} \times a^{\frac{7}{12}} \\ \times \sqrt[3]{a^{\frac{25}{3}}} \times (a^{-\frac{7}{4}})^{\frac{7}{5}}$$

$$(5) (a^{\frac{7}{2}} + b^{\frac{7}{2}} + a^{-\frac{7}{2}}b) \times (ab^{-\frac{7}{2}} - a^{\frac{7}{2}} + b^{\frac{7}{2}})$$

$$(6) (x^{\frac{3}{2}} - xy^{\frac{7}{2}} + x^{\frac{7}{2}}y - y^{\frac{7}{2}}) \times (x + x^{\frac{7}{2}}y^{\frac{7}{2}} + y)$$

$$(7) (a^{\frac{7}{2}} - a^3 + a^{\frac{5}{2}} - a^2 + a^{\frac{3}{2}} - a + a^{\frac{1}{2}} - 7) \\ \times (a^{\frac{7}{2}} + 1)$$

$$(8) (a^{\frac{2}{3}} - a^{\frac{7}{3}} + 1 - a^{-\frac{7}{3}} + a^{-\frac{2}{3}}) \times (a^{\frac{7}{3}} + 1 + a^{-\frac{7}{3}})$$

$$(9) (-3a^{-5} + 2a^{-4}b^{-7}) \times (-2a^{-3} - 3a^{-4}b)$$

$$(10) (x^{\frac{3}{2}} - xy^{\frac{7}{2}} + x^{\frac{7}{2}}y - y^{\frac{7}{2}}) \div (x^{\frac{7}{2}} - y^{\frac{7}{2}})$$

$$(11) (x^{\frac{4}{3}} + x^{\frac{2}{3}}y^{\frac{2}{3}} + y^{\frac{4}{3}}) \div (x^{\frac{2}{3}} + x^{\frac{1}{3}}y^{\frac{7}{3}} + y^{\frac{2}{3}})$$

$$(12) (a^{\frac{2m}{2}} - a^{-\frac{3m}{2}}) \div (a^{\frac{4}{2}} - a^{-\frac{m}{2}})$$

形根及數指方

Transformation of Radicals.

Reduce the following radicals to a common index.

$$(1) 2, 3^{\frac{7}{3}}, a^{\frac{7}{2}}, b^{\frac{7}{4}}$$

$$(2) a^{\frac{7}{2}}, b^{\frac{7}{2}}, c^{\frac{7}{3}}, d^{\frac{7}{3}}$$

$$(3) \sqrt{a+x}, \sqrt[3]{a-x}, \sqrt[4]{a^3-x^2}$$

$$(4) \sqrt{\frac{8}{3}}, \sqrt[3]{2}, 5\sqrt{3}$$

$$(5) ax, \sqrt{bx}, \sqrt[3]{cx}, \sqrt[4]{dx}$$

$$(6) cx^2, (dx^3)^{\frac{7}{4}}, (x^4)^{\frac{7}{6}}$$

$$(7) \sqrt[3]{7}, \sqrt{10}, \sqrt[6]{\frac{761}{49}}$$

$$(8) \sqrt{\frac{7}{2}}, \sqrt[4]{\frac{76}{49}}, \sqrt[6]{7337}$$

$$(9) \sqrt[3]{6}, \sqrt[4]{367}, \sqrt[6]{189}, \sqrt[8]{14641}$$

$$(10) \sqrt[5]{32}, \sqrt[3]{32}, \sqrt[4]{256}, \sqrt[6]{289}$$

Miscellaneous Examples.

- (1) $\sqrt{18} + \sqrt{3} 2 + \sqrt{5} 0 + \sqrt{7} 2.$
- (2) $2\sqrt{8} + 3\sqrt{5} 0 + 6\sqrt{18}.$
- (3) $\sqrt{\frac{3}{5}} + \sqrt{\frac{7}{15}} + \sqrt{\frac{15}{49}}.$
- (4) $\frac{2}{3}\sqrt{\frac{2}{9}} + \frac{7}{6}\sqrt{\frac{7}{36}} + \frac{3}{5}\sqrt{\frac{3}{32}}.$
- (5) $x\sqrt{(12a^4x)} + 2a^2\sqrt{(27x^3)} + 3a\sqrt{(48a^2x^3)}$
 $+ 5a^2x\sqrt{(3x)}.$
- (6) $6\sqrt[6]{(4a^2)} + 2\sqrt[3]{(2a)} + \sqrt[9]{(8a^3)}.$
- (7) $2\sqrt{3} + \frac{7}{2}\sqrt{12} + 4\sqrt{27} + 2\sqrt{\frac{3}{16}}.$
- (8) $3b\sqrt[3]{(2a^5b^2)} + 7\sqrt[3]{(2a^5b^5)} + 8a\sqrt{(2a^2b^5)}.$
- (9) $\sqrt{3} 20 - \sqrt{8} 0.$
- (10) $b\sqrt[3]{(27a^6b)} - \sqrt[3]{(276a^6b^4)}.$
- (11) $\sqrt{(a^3 + 2a^2b + ab^2)} - \sqrt{(a^3 - 2a^2b + ab^2)}.$
- (12) $\frac{2}{3}\sqrt{\frac{2}{9}} + \frac{3}{5}\sqrt{\frac{3}{32}} - \frac{1}{6}\sqrt{\frac{7}{36}}.$
- (13) $\sqrt{(289a^2b)} - \sqrt{(144a^2b)}.$
- (14) $(2\sqrt{8a^3} + 5\sqrt{72a^3}) - (7a\sqrt{18a} + \sqrt{50ab^2}).$

$$(73) (2x^5y^{-3} - 5x^4y^{-2} + 7x^3y^{-1} - 5x^2 + 2xy)$$

$$\div (x^3y^{-3} - x^2y^{-2} + xy^{-1}).$$

$$(74) (a^{\frac{5}{2}} - a^{\frac{3}{2}}b + ab^{\frac{3}{2}} - 2a^{\frac{1}{2}}b^2 + b^{\frac{5}{2}})$$

$$\div (a^{\frac{3}{2}} - ab^{\frac{1}{2}} + a^{\frac{1}{2}}b - b^{\frac{3}{2}}).$$

(75) Simplify

$$a^{\frac{3}{2}} - ax^{\frac{1}{2}} + a^{\frac{1}{2}}x - x^{\frac{3}{2}}$$

$$a^{\frac{5}{2}} - a^{\frac{3}{2}}x^{\frac{1}{2}} + 3a^{\frac{3}{2}}x - 3ax^{\frac{3}{2}} + a^{\frac{1}{2}}x^2 - x^{\frac{5}{2}}.$$

$$(29) \left(\frac{x}{6} \sqrt{\frac{a}{b}} + \sqrt{\frac{c}{d}} \right) \times \left(\frac{x}{6} \sqrt{\frac{a}{b}} - \sqrt{\frac{c}{d}} \right).$$

$$(30) (\sqrt[3]{a^{\frac{7}{2}}} + \sqrt[6]{a^2 b}) \times (\sqrt[3]{a^{\frac{7}{2}}} - \sqrt[6]{a^2 b}).$$

$$(31) \frac{7}{3} \sqrt[3]{\frac{2}{3}} \div \frac{7}{3} \sqrt[3]{\frac{7}{5}}.$$

$$(32) \frac{1}{4} \sqrt{\frac{2}{5}} \div \frac{3}{7} \sqrt{\frac{5}{2}}.$$

$$(33) \frac{1}{2} \sqrt{2ax} \div \frac{3}{4} \sqrt{6x}.$$

$$(34) \frac{7}{2} \sqrt{\frac{2}{3}} \div \frac{7}{3} \sqrt[3]{\frac{7}{3}}.$$

$$(35) 2\sqrt{2ax} \div \sqrt[3]{4bx^2}.$$

$$(36) x + \sqrt{xy} + y \div \sqrt{x} + \sqrt[4]{xy} + \sqrt{y}.$$

$$(37) (16x - \frac{y^4}{16}) \div (2x^{\frac{1}{4}} - \frac{y}{2}).$$

Render the denominators of the following fractions rational:

$$(38) \frac{-2}{\sqrt{3} + \sqrt{2}}.$$

$$(39) \frac{3}{\sqrt{2} - \sqrt{3}}.$$

$$(40) (a+x)\sqrt{(a^2-x^2)} = \sqrt{\frac{a+x}{a-x}}.$$

$$(41) (\sqrt[3]{87} + \sqrt[3]{192}) - \sqrt[3]{512}.$$

$$(42) 3\sqrt{8} \times 4\sqrt{48}.$$

$$(43) \frac{7}{3} \sqrt[3]{\frac{2}{3}} \times \frac{7}{3} \sqrt[3]{\frac{3}{4}}.$$

$$(44) 4\sqrt{12} \times 3\sqrt{2}.$$

$$(45) \frac{7}{3} \sqrt[3]{5} \times \frac{3}{4} \sqrt[3]{12}.$$

$$(46) 5a\sqrt{ax} \times \frac{5}{2}\sqrt{6x}.$$

$$(47) \sqrt{(2ab^3)} \times \sqrt{(8a^3b)}.$$

$$(48) \sqrt[3]{8} \times \sqrt[3]{5}.$$

$$(49) \sqrt[3]{(\frac{1}{2})} \times \sqrt{(\frac{3}{4})}.$$

$$(50) \frac{7}{8} \sqrt[3]{(\frac{1}{8})} \times \frac{7}{8} \sqrt[3]{(\frac{1}{8})}.$$

$$(51) (\sqrt[3]{x} + 2\sqrt[6]{x+4}) \times (\sqrt[3]{x} - 2\sqrt[6]{x}).$$

$$(52) (a^{\frac{3}{4}} + a^{\frac{1}{2}}x^{\frac{3}{2}} + a^{\frac{1}{2}}x + x^{\frac{3}{2}}) \times (a^{\frac{1}{4}} - x^{\frac{1}{2}}).$$

$$(53) (x + \frac{1}{2} + \sqrt{q + \frac{p^2}{4}}) \times (x + \frac{1}{2} - \sqrt{q + \frac{p^2}{4}}).$$

$$(54) \text{ of } 78 + 8\sqrt{5}.$$

$$(55) " 75 - 72\sqrt{2}.$$

$$(56) " 16 + 5\sqrt{7}.$$

$$(57) " ab + c^2 + \sqrt{(a^2 - c^2)(b^2 - c^2)}.$$

$$(58) " -9 + 6\sqrt{3}.$$

$$(59) " 1 + (1 - c^2)^{\frac{1}{2}}.$$

$$(60) " 6 + 2\sqrt{2} + 2\sqrt{3} + 2\sqrt{6}.$$

$$(61) " 5 + \sqrt{10} - \sqrt{6} - \sqrt{15}.$$

$$(62) " 15 - 2\sqrt{3} - 2\sqrt{5} + 6\sqrt{2} - 2\sqrt{6}$$

$$+ 2\sqrt{5} - 2\sqrt{10}.$$

$$(63) " 17 + 2\sqrt{3} + 2\sqrt{7} + 2\sqrt{21}.$$

$$(64) " 11 + 4\sqrt{2} - 4\sqrt{5} - 2\sqrt{10}.$$

Extract the cube roots:

$$(65) \text{ of } 7 + 5\sqrt{2}.$$

$$(66) " 16 + 8\sqrt{5}.$$

$$(67) " 9\sqrt{3} - 11\sqrt{2}.$$

$$(68) " 15\sqrt{6} - 21\sqrt{3}.$$

$$(40) \frac{x}{72 - 2\sqrt{3}}.$$

$$(41) \frac{3}{8 + \sqrt{2}}.$$

$$(42) (\sqrt{3} - \sqrt{2}) \div (\sqrt{2} + 1).$$

$$(43) 4 \div (\sqrt{5} + 1).$$

$$(44) (\sqrt{a+x} + \sqrt{a-x}) \div (\sqrt{a+x} - \sqrt{a-x}).$$

$$(45) \frac{(3 + \sqrt{3})(3 + \sqrt{5})(\sqrt{5} - 2)}{(5 - \sqrt{5})(1 + \sqrt{3})}.$$

Extract the square roots:

$$(46) \text{ of } 14 + 6\sqrt{5}.$$

$$(47) " 18 - 2\sqrt{7}.$$

$$(48) " 94 + 42\sqrt{5}.$$

$$(49) " 28 + 10\sqrt{3}.$$

$$(50) " (a+b)^2 - 4(a-b)\sqrt{ab}.$$

$$(51) " 4 + 2\sqrt{3}.$$

$$(52) " 7 - 4\sqrt{3}.$$

$$(53) " 7 + 2\sqrt{10}.$$

方程方程二

方程方程二

Radical Equations.

$$(1) \sqrt{x+16} = 2 + \sqrt{2}.$$

$$(2) 1 - \sqrt{1-x} = n(1 + \sqrt{1-x}).$$

$$(3) \sqrt{a+x} - \sqrt{a-x} = \sqrt{ax}.$$

$$(4) \frac{x-1}{\sqrt{x+1}} = 4 + \frac{\sqrt{x-1}}{2}.$$

$$(5) \frac{x}{\sqrt{a^2+x^2}} = \frac{c-x}{\sqrt{b^2+(c-x)^2}}.$$

$$(6) \frac{x-a}{\sqrt{x+a}} = \frac{\sqrt{x}-\sqrt{a}}{3} + 2\sqrt{a}.$$

$$(7) 8\sqrt{3x} + \frac{81(3+4\sqrt{3x})}{76x-3} = 16x+3.$$

$$(8) \sqrt{x} = 7 + \sqrt{(x-9)}.$$

$$(9) \sqrt{x} + \sqrt{(x-3)} = 3.$$

$$(10) \sqrt{x} - \sqrt{2} = \sqrt{(x-2)}.$$

$$(11) \sqrt[3]{4x+3} = 3$$

$$(12) \sqrt{5x+4} = 2 + \sqrt{3x}.$$

$$(13) 2\sqrt{x} - \sqrt{a} = 2\sqrt{(x-a)}.$$

$$(14) a+x = \sqrt{(x^2+5x-a)}.$$

$$(69) \text{ of } 2\sqrt{6} - 2\sqrt{5}.$$

$$(70) \text{ Simplify } \sqrt[3]{(\sqrt{5}+2)} - \sqrt[3]{(\sqrt{5}-2)}.$$

$\sqrt{x} = \pm \sqrt{ }$

Equations of the Second Degree with
but one unknown quantity

$$(1) 3x^2 - 14x + 15 = 0.$$

$$(2) 4x - \frac{14-x}{x+7} = 14.$$

$$(3) \frac{3x+4}{5} - \frac{30-2x}{x-6} = \frac{7x-14}{70}.$$

$$(4) 5x^2 - 6x - 60 = 3.$$

$$(5) (x-12)(x+2) = 0.$$

$$(6) ax^2 - bx = c.$$

$$(7) \frac{10}{x} - \frac{14-2x}{x^2} = \frac{22}{9}.$$

$$(8) (x+2)^2 = 2x^2 + 8.$$

$$(9) 4x^2 - 9x = 90.$$

$$(10) \frac{x-3}{x+5} - \frac{x+4}{x-7} = 2\frac{7}{9}.$$

$$(11) x^2 - (a+b)x + ab = 0.$$

$$(12) \frac{4x^2}{3} = \frac{x}{3} + 77.$$

$$(13) \sqrt{a-x} = \frac{a}{(a-x)} - x.$$

$$(14) \frac{\sqrt{x-2}}{3} + 3 = \frac{x-4}{\sqrt{x+2}}.$$

$$(15) x - \sqrt{a^2 + x\sqrt{x^2 - 1}} = a.$$

$$(16) \sqrt{x+a} = \sqrt{a} + \sqrt{(x-a)}.$$

$$(17) \sqrt{x} - \sqrt{a-x} = \frac{\sqrt{x} + \sqrt{a-x}}{2}.$$

$$(18) \sqrt[3]{(1+x)} + \sqrt[3]{(1-x)} = \sqrt[3]{2}.$$

$$(26) x^6 - 4x^3 = 32.$$

$$(27) x^4 - 2x^2 = 3.$$

$$(28) x^4 - 8x^2 = 9.$$

$$(29) x^3 - \sqrt{x^3} = 56.$$

$$(30) x^6 + 20x^3 = 69.$$

$$(31) x + \sqrt{70x + 6} = 9.$$

$$(32) \frac{\sqrt{4x+20}}{4+\sqrt{x}} = \frac{4-\sqrt{x}}{\sqrt{x}}.$$

$$(33) 4x + 4\sqrt{x(x+2)} = 7.$$

$$(34) x + \sqrt{5x+70} = 8.$$

$$(35) ax + 2\sqrt{n^2x + na^2x^2} = (3x-1)n.$$

$$(36) x^4 - 24x^2 = -1225.$$

$$(37) \frac{3x}{27}(x+7) - \frac{1}{3}(2x^2+x-7) = \frac{4}{35}(x+7).$$

$$(38) 8x + 17 + \frac{7}{x} = \frac{27 + 65x}{7}.$$

$$(39) \frac{6}{x} + \frac{x}{6} = 5(x-1).$$

$$(40) \frac{x}{7} + \frac{27}{x+5} = 3\frac{2}{7}.$$

$$(73) \frac{x}{x-7} + \frac{x+7}{x} = 2\frac{7}{8}.$$

$$(74) \frac{x+4}{3} - \frac{4x+7}{9} = \frac{7-x}{x-3} - 1.$$

$$(75) (x-7)^2 = 2(x^2+1).$$

$$(76) x^2(7 - \frac{7}{x}) = 8(x+2).$$

$$(77) 77x^2 + 79x - 1848 = 0.$$

$$(78) \frac{7}{2}x^2 - \frac{7}{3}x + 7\frac{3}{8} = 8.$$

$$(79) \frac{2x-10}{8-x} - \frac{x+3}{x-2} = 2.$$

$$(80) \frac{7}{x-1} - \frac{7}{x+3} = \frac{7}{35}.$$

$$(81) x + \frac{24}{x-1} = 3x - 4.$$

$$(82) \frac{x^2+7}{2x} + \frac{x-7}{4} = 3x - 2.$$

$$(83) x + \frac{7}{x} + 3(\frac{x-7}{4}) = \frac{7}{x}$$

$$(84) x^2 + (5-x)^3 = 35.$$

$$(85) \frac{1200}{x} = \frac{1200}{40+x} + 5.$$

$$(53) x^4 - 14x^2 + 49 = 0.$$

$$(54) 2x + \sqrt{4x+8} = \frac{x}{2}.$$

$$(55) 2\sqrt{x} + \frac{2}{\sqrt{x}} = 5.$$

$$(56) \sqrt[4]{x} + 5\sqrt{x} - 22 = 0.$$

$$(57) 3\sqrt{x^3} - 4\sqrt[4]{x^3} = 7.$$

$$(58) x + 5 - \sqrt{x+5} = 6.$$

$$(59) 2(x^{\frac{1}{n}} + x^{-\frac{1}{n}}) = 5.$$

$$(60) \sqrt{2x+7} + \sqrt{3x-18} = \sqrt{7x+11}.$$

$$(61) \frac{\sqrt{x^2-16}}{\sqrt{x-3}} + \sqrt{x+3} = \frac{7}{\sqrt{x-3}}.$$

$$(62) \sqrt{a+x} + \sqrt{a-x} = \sqrt{b}.$$

$$(63) \sqrt{x+9} = 2\sqrt{x}-3.$$

$$(64) x + \sqrt{5x+10} = 8.$$

$$(65) (a^{\frac{2}{3}} + x^{\frac{2}{3}})^{\frac{2}{3}} = (a^{\frac{2}{3}} + x^{\frac{2}{3}})^{\frac{2}{3}}.$$

$$(66) \frac{\sqrt{a+x} + \sqrt{a-x}}{\sqrt{a} + \sqrt{a-x}} = \frac{\sqrt{a+x} - \sqrt{a-x}}{\sqrt{a} - \sqrt{a-x}}.$$

$$(67) \left(\frac{x}{x-1}\right)^2 + \left(\frac{x}{x+1}\right)^2 = n(n-1).$$

$$(47) \frac{2x}{x-7} + \frac{x}{7} = 3\frac{2}{7}.$$

$$(48) \frac{3}{2(x^2-7)} + \frac{x}{4(x+7)} = \frac{3}{8}.$$

$$(49) \frac{1}{2(x-7)} + \frac{3}{x^2-7} = \frac{1}{4}.$$

$$(50) \frac{x}{75} + \frac{40}{3(70-x)} = \frac{3(70+x)}{95}.$$

$$(51) \frac{2x}{75} + \frac{3x-50}{3(70+x)} = \frac{12x+70}{790}.$$

$$(52) \frac{x+2}{x-1} - \frac{4-x}{2x} = \frac{7}{3}.$$

$$(53) \frac{x^2-5x}{x+3} = x-3 + \frac{1}{x}.$$

$$(54) \frac{x-6}{x-12} - \frac{x-12}{x-6} = \frac{5}{6}.$$

$$(55) \frac{x+4}{x-4} + \frac{x-4}{x+4} = \frac{20}{3}.$$

$$(56) (7-4\sqrt{3})x^2 + (2-7\sqrt{3})x = 2$$

$$(57) \sqrt[3]{x} + \frac{5}{2\sqrt[3]{x}} = 3\frac{1}{4}.$$

$$(58) \frac{1}{(2x)} - 7x = -52.$$

$$(81) \frac{a^2+x^2}{a+x} + \frac{a^2-x^2}{a-x} = 4a$$

$$(82) \frac{\sqrt{x^2+1} + \sqrt{x^2-1}}{\sqrt{x^2+1} - \sqrt{x^2-1}} \cdot \frac{\sqrt{x^2+1} - \sqrt{x^2-1}}{\sqrt{x^2+1} + \sqrt{x^2-1}} = 4\sqrt{x^2-1}$$

$$(83) \sqrt{1-x+x^2} - \sqrt{1+x+x^2} = m$$

$$(84) \frac{x+\sqrt{x^2-1}}{x-\sqrt{x^2-1}} + \frac{x-\sqrt{x^2-1}}{x+\sqrt{x^2-1}} = 3.4.$$

$$(85) \sqrt{x^2-3ax+a^2} \mid \sqrt{x^2+3ax+a^2} = \sqrt{(2a)^2+2b^2}$$

$$(86) x\sqrt{\frac{6}{x}-x} = \frac{1+x^2}{\sqrt{x}}$$

$$(87) \sqrt[2p]{(x^{p+q})} - \frac{1}{2c}(\sqrt[p]{x} + \sqrt[q]{x}) = 0.$$

$$(88) \sqrt{x} + \sqrt{x - \sqrt{1-x}} = 1.$$

$$(89) (x+a)^5 - (x-a)^5 = 24.2a^5.$$

$$(90) \frac{x^3+1}{x^2-1} = x + \sqrt{\frac{6}{x}}$$

$$(91) \frac{25x^2-16}{10x+8} = \frac{3(x^2-4)}{2x-4}$$

$$(68) (a+b)\sqrt{a^2+b^2+x^2} - (a-b)\sqrt{a^2+b^2-x^2} = a^2+b^2$$

$$(69) x + \sqrt{x} + \sqrt{x+2} + \sqrt{x^2+2x} = a.$$

$$(70) 2x + \sqrt{2+2x} = c(1-x).$$

$$(71) \frac{a-x}{\sqrt{a}+\sqrt{a-x}} + \frac{a+x}{\sqrt{a}+\sqrt{a+x}} = \sqrt{a}.$$

$$(72) \frac{\sqrt{(x+2a)} - \sqrt{(x-2a)}}{\sqrt{(x-2a)} + \sqrt{(x+2a)}} = \frac{x}{2a}$$

$$(73) \sqrt{x+8} - \sqrt{x+3} = \sqrt{x}.$$

$$(74) \sqrt{x+3} + \sqrt{x+8} = 5\sqrt{x}$$

$$(75) \frac{x^2-a^2}{x^2+a^2} + \frac{x^2+a^2}{x^2-a^2} = \frac{34}{75}.$$

$$(76) \sqrt{(x^2b+a)} - \sqrt{a} = c\sqrt{(x^2b)}.$$

$$(77) \sqrt{(x+4)} - \sqrt{x} = \sqrt{(x+\frac{3}{2})}.$$

$$(78) x^2 + \frac{7}{x^2} - \frac{2}{x} - \frac{1}{a^2} = 0.$$

$$(79) \frac{850}{931} = \frac{x^2(x^4-a^4)}{x^6-a^6}.$$

$$(80) \frac{x^3-4x}{x-2} + \frac{x^2-1}{x+1} = 39.$$

General Properties of Equations of the Second Degree.

Resolve the following five quadratic expressions into the product of simple factors.

- (1) $3x^2 - 10x - 25$
- (2) $x^2 + 73x + 780$.
- (3) $2x^2 + x - 6$.
- (4) $x^2 - 88x + 7612$.
- (5) $5x^2 - 3x - 110$.

Form the quadratic equations,

- (6) whose roots are 6 and 8.
- (7) whose roots are 4 and 5.
- (8) whose roots are 7 and -2.
- (9) whose roots are $1 \pm \sqrt{5}$.

$$(92) \quad \sqrt{(x^2+ax+b^2)} + \sqrt{(x^2+bx+a^2)} = a+b.$$

$$(93) \quad \sqrt{(2x+9)} + \sqrt{(3x-15)} = \sqrt{(7x+8)}.$$

$$(94) \quad \sqrt{\frac{x}{a}} + \sqrt{\frac{(b-c)(ac-bx)}{abc}} = 1.$$

$$(95) \quad \sqrt{(x^2+2x-1)} + \sqrt{(x^2+x+1)} = \sqrt{2} + \sqrt{3}.$$

$$(96) \quad \sqrt{(x^2+ax-1)} + \sqrt{(x^2+bx-1)} = \sqrt{d} + \sqrt{b}.$$

$$(97) \quad \frac{x}{2} + \frac{\sqrt{(x-1)^3}}{\sqrt{(4x-1)}} = \frac{11}{16}.$$

$$(98) \quad (x^2+7)(x+2) = 2.$$

$$(99) \quad (x-a)(x-b)(x-c)+abc=0.$$

$$(100) \quad \frac{1}{x+a+b} + \frac{1}{x-a+b} + \frac{1}{x+a-b} + \frac{1}{x-a-b} = 0.$$

equations of the Second Degree
involving several unknown
quantities.

- (1) $x^2 + 12xy + y^2 = 85$, $x + 3y = 11$.
- (2) $x^2 + y^2 = 202$, $x + y = 20$.
- (3) $x^2 + y^2 = 394$, $x - y = 2$.
- (4) $x^2 - 2xy + y^2 = 9$, $x + y = 11$.
- (5) $x + y = 6$, $x^2 + y^2 = 26$.
- (6) $x^2 - y^2 = 16$, $x + y = 8$.
- (7) $x^2 + xy = 10$, $y^2 + xy = 15$.
- (8) $x^2 + y^2 = 67$, $x^2 - xy = 6$.
- (9) $x^2 + xy + y^2 = 37$, $x^2 - xy + y^2 = 13$.
- (10) $x^2 - 2xy = 5$, $x^2 + y^2 = 29$.
- (11) $3x^2 = 2xy + 24$, $y^2 = xy - 3$.
- (12) $4xy - 3y^2 = 64$, $2xy + 2x^2 - y^2 = 138$.
- (13) $x^2 + y^2 + x + y = 922$, $\sqrt{xy} = 20$.

(10) whose roots are 2 and -3.

(11) whose roots are 5 and $-\frac{2}{3}$.

(12) whose roots are a and b.

(13) whose roots are $\frac{3}{7}$ and $\frac{7}{3}$.

(14) whose roots are -7 and -3.

(15) whose roots are $-\frac{3}{4}$ and $\frac{5}{2}$.

$$(26) x - \frac{x-y}{2} = 4, \quad y - \frac{x+3y}{x+2} = 1.$$

$$(27) x^2 + y^2 = 65, \quad xy = 28.$$

$$(28) xy = 1, \quad 3x - 5y = 2.$$

$$(29) \frac{1}{x} + \frac{1}{y} = 2, \quad x+y = 2.$$

$$(30) x^2 + xy + 2y^2 = 74,$$

$$2x^2 + 2xy + y^2 = 73.$$

$$(31) 2x + 3y = 37, \quad \frac{1}{x} + \frac{1}{y} = \frac{14}{45}.$$

$$(32) x^2 + 3xy = 54, \quad xy + 4y^2 = 115.$$

$$(33) x^2 + xy = 15, \quad xy - y^2 = 2.$$

$$(34) x^2 + xy + 4y^2 = 6, \quad 3x^2 + 8y^2 = 14.$$

$$(35) x^2 + xy = 12, \quad xy - 2y^2 = 1.$$

$$(36) x^2 - xy + y^2 = 21, \quad y^2 - 2xy + 15 = 0.$$

$$(37) x^2 - 4y^2 = 9, \quad xy + 2y^2 = 3.$$

$$(38) 7x^2 - 8xy = 159, \quad 5x + 2y = 7.$$

$$(39) x^2 - 2xy - y^2 = 1, \quad x + y = 2.$$

$$(40) x + y + \sqrt{(x+y)} = 12, \quad x^3 + y^3 = 189.$$

$$(41) x - y = 2, \quad x^4 + y^4 = 272.$$

$$(42) x^2 + 2xy + y + 3x = 73,$$

$$y^2 + x + 3y = 44.$$

$$(43) 3x^2 - 7y^2 + 7 = 0, \quad xy = 6.$$

$$(44) x^4 - 2x^2y + y^2 = 49,$$

$$x^4 - 2x^2y^2 + y^4 - x^2 + y^2 = 20.$$

$$(45) \frac{x}{y} - \frac{y}{x} = \frac{11}{30}, \quad x^2 + xy = 66.$$

$$(46) x^2y^4 + y^2 = 10, \quad xy^2 + y = 4.$$

$$(47) x^3 + y^3 = 189, \quad x^2y + xy^2 = 180.$$

$$(48) \frac{x+y}{x-y} = a^2, \quad x^2 - y^2 = b^2.$$

$$(49) 9x^2 = 4y^2, \quad 3xy + 2x + y = 485.$$

$$(50) x^2 + y^2 - x - y = 78,$$

$$xy + x + y = 39.$$

$$(51) \frac{1}{y} - \frac{1}{x} = \frac{1}{4}, \quad x^2y - xy^2 = 16.$$

$$(52) xy(x+y) = 30, \quad x^3 + y^3 = 35.$$

$$(53) \frac{x^2}{y} + \frac{y^2}{x} = 18, \quad x+y = 12.$$

$$(54) x + \sqrt{(x^2 - y^2)} = 8, \quad x-y = 7.$$

$$(55) x^2(x+y) = 80, \quad x^2(2x-3y) = 80.$$

$$(56) x^2y + y^2x = 20, \quad \frac{1}{x} + \frac{1}{y} = \frac{5}{4}.$$

$$(57) x^2 + y^2 = 7 + xy, \quad x^3 + y^3 = 6xy - 1.$$

$$(58) x^2 + y^2 = 8, \quad \frac{1}{x^2} + \frac{1}{y^2} = \frac{1}{2}.$$

$$(59) x+y = 4, \quad x^4 + y^4 = 82.$$

$$(60) x^5 - y^5 = 3093, \quad x-y = 3.$$

$$(61) \left(\frac{6y}{x+y}\right)^2 + \left(\frac{6y}{x-y}\right)^2 = 82, \quad xy = 2.$$

$$(62) x^2 - x^2y^2 + y^2 = 19, \quad x - xy + y = 4.$$

$$(63) x^2 - xy + y^2 = 7, \quad x^4 + x^2y^2 + y^4 = 133.$$

$$(64) x^2 + xy + y^2 = 49, \quad x^4 + x^2y^2 + y^4 = 937.$$

$$(65) x^5 - x^2 + y^4 - y^2 = 84, \\ x^2 + x^2y^2 + y^2 = 49.$$

$$(40) \frac{x+y}{x-y} + \frac{x-y}{x+y} = \frac{10}{3}, \quad x^2 + y^2 = 45.$$

$$(41) \frac{x+y}{x-y} + \frac{x-y}{x+y} = \frac{5}{2}, \quad x^2 + y^2 = 20.$$

$$(42) .3x + .125y = 3x - y, \\ .3x - .5y = 2.25xy + 3y.$$

$$(43) .1y + .125x = y - x, \\ y - .5x = .75xy - 3x.$$

$$(44) y^2 - 4xy + 20x^2 + 3y - 264x = 0, \\ 5y^2 - 38xy + x^2 - 12y + 1056x = 0.$$

$$(45) x+y = x^2, \quad 3y-x = y^2.$$

$$(46) x^2 + y^2 = \frac{5}{2}xy, \quad x-y = \frac{7}{4}xy.$$

$$(47) x+2y + \frac{3x}{y} = 16, \quad 3x+y + \frac{3x}{y} = 23.$$

$$(48) 4(x+y) = 3xy, \quad x+y+x^2+y^2 = 26.$$

$$(49) x-y = 2, \quad x^3 - y^3 = 8.$$

$$(50) x+y = 5, \quad x^3 + y^3 = 65.$$

$$(51) x+y = 11, \quad x^3 + y^3 = 7007.$$

$$(75) \sqrt{x+y} + 2\sqrt{x-y} = \frac{2(x-7)}{\sqrt{(x-y)^2}},$$

$$\frac{x^2+y^2}{xy} = \frac{34}{15}.$$

$$(76) yz = bc, \frac{x}{a} + \frac{y}{b} = 1, \frac{x}{a} + \frac{z}{c} = 1.$$

$$(77) \frac{1}{x} + \frac{1}{y} + \frac{1}{z} = 9, \quad \frac{2}{x} + \frac{3}{y} = 13,$$

$$8x + 3y = 5.$$

$$(78) x(x+y+z) = 24, \quad y(x+y+z) = 28,$$

$$z(x+y+z) = 12.$$

$$(79) \frac{1}{29}(x+\frac{y}{z}) = \frac{1}{6}, \quad \frac{1}{34}(y+\frac{x}{z}) = \frac{1}{6},$$

$$x+y+z = 15.$$

$$(80) xy + xz + yz = 26,$$

$$xy(x+y) + yz(y+z) + zx(z+x) = 162,$$

$$xy(x^2+y^2) + yz(y^2+z^2) + zx(x^2+z^2) = 538.$$

$$(65) x(72-xy) = y(xy-3),$$

$$xy(y+4x-xy) = 72(x+y-3).$$

$$(67) x+y+\sqrt{xy} = 14,$$

$$x^2+y^2+xy = 84.$$

$$(68) x+y-\sqrt{xy} = 7,$$

$$x^2+y^2+xy = 133.$$

$$(69) x+y = 72, \quad \sqrt[3]{x} + \sqrt[3]{y} = 6.$$

$$(70) \sqrt{\frac{x}{y}} + \sqrt{\frac{y}{x}} = \frac{7}{\sqrt{xy}} + 1,$$

$$\sqrt{x^3y} + \sqrt{y^3x} = 78.$$

$$(71) x+y = 10, \quad \sqrt{\frac{x}{y}} + \sqrt{\frac{y}{x}} = \frac{5}{2}.$$

$$(72) \sqrt{3+x^2} + 2y = 8,$$

$$2x^2 + \sqrt{5y^2 + 4x^4} = 9.$$

$$(73) \frac{x}{a} + \frac{y}{b} = 1, \quad \frac{a}{x} + \frac{b}{y} = 4.$$

$$(74) \sqrt{x^2+y^2} + \sqrt{x^2-y^2} = 2y,$$

$$x^4 - y^4 = a^4.$$

分部之著

Answers.

Explanation of signs.

- (1) 78. (2) 8. (3) 74.
(4) 42. (5) 39. (6) 9.
(7) 7. (8) 9. (9) 54.
(10) 78. (11) 3. (12) 4.
(13) 23. (14) 6. (15) 22.
(16) 75. (17) 0. (18) 10.
(19) 32. (20) 4. (21) 75.
(22) 1. (23) 77088. (24) $14\frac{1}{2}$.
(25) 3465. (26) $7\frac{2}{10}$ (27) 4.6875.
(28) 75. (29) $2\frac{4}{3}$ (30) 268.

Addition.

- (1) $16a^2bc$ (2) $-14a^2bc$ (3) $4a^2bc$
(4) $-2a^2bc$ (5) $77a - 12bx$
(6) $70c + 2bx^2 - d$
(7) $14x^2y - 4xy - 7y + z$

5

Answers.

- (26) $-8b - 109e + 37f - 10g + h.$
- (27) $6a^2b + 5abc - 3b^2c - 14c^3 + 2cd^2 - 3d.$
- (28) $10a^2bc + 6x + 15af.$
- (29) $a^2m^2 - 3a^3m + 6b + 5mn.$
- (30) $5a^3b^2c + 5ax^3d + 25a^4x.$

Subtraction.

- (1) $3a^2b^2c.$
- (2) $4a^2b.$
- (3) $4a^2bc.$
- (4) $bab.$
- (5) $77abc.$
- (6) $13b^2d.$
- (7) $-77a^2bc.$
- (8) $2a^4b^2n.$
- (9) $3a^2 - 3b.$
- (10) $-2x^2 + 2x^2y + 11.$
- (11) $7xy^2 - 3z + 6x^3.$
- (12) $a + 2b - c.$
- (13) $2ac - b + d.$
- (14) $7ab - 12.$
- (15) $2y^2 - 5y.$
- (16) $193a^3 + 157ab^2 - 121a^2b + 155b^3.$
- (17) $-2a - 3x + 3y - 4z + 2w.$
- (18) $2x^3 - 3x^2y + xy^2 + x^2y^3.$

Answers.

- (8) $9a + 8d$
- (9) $5cx^2 + 2dy^2 + zx^3 + d$
- (10) $5ab + 8c + 4(a+b)$
- (11) $3x^2y + 8(a+b)x^2$
- (12) $2a + 2b + 2c$
- (13) $20ax + 13by.$
- (14) $22a^2 + 7ab - 8b^2.$
- (15) $-2x^3 + 6x^2y + 10xy^2 - 2y^3.$
- (16) $73x + 73y + 28z + 72.$
- (17) $9x^3 + 2y^3 + 3xyz.$
- (18) $4x^4 + 14x^3y - 43x^2z + 21xzv.$
- (19) $3ax + x - by - y.$
- (20) $7ax + 3bx + b - by - dy.$
- (21) $9px - 6qy + 2c.$
- (22) $3x^2 - a^2x - 5ax - x$
- (23) $-4a^2x - 2x^2 + ax.$
- (24) $-2a - 2x + 4y - z.$
- (25) $3axy + 6x^2yz + dxy^2z^2 + 20xz^3 + 4bdx.$

Answers.

- (71) $189a^4 - 91a^3b + 62a^2b^2 - 13ab^3 + b^4$.
- (72) $x^3 + ax^2 + bx^2 + cx^2 + abx + acx + bc$
+ abc.
- (73) $a^3 + b^3 + c^3 - 3abc$. (74) $a^5 - b^5$.
- (75) $4a^2 - b^2c^2 + 4b^3c - 4b^4$.
- (76) $24a^2b^2 - 6a^2c^2$.
- (77) $a^2 + abx + acx + bcx^2$.
- (78) $x^3 - 5x^2 - 4bx - 40$.
- (79) $x^4 - 10x^3 - 37x^2 + 64bx - 1680$.
- (80) $a^6 - 3a^4b^2 + 3a^2b^4 - b^6$.
- (81) $x^6 - ab^5$.
- (82) $3x^{m+n}y^n - 6ax^ny^m + 3xy^{n+2}$.
- (83) $a^{m+n} + 2a^{2m}b^{2n} + a^{m+1}b^n - a^nb^{2n} - 2a^{m+2n} - ab^{2n+m}$.
- (84) $x^{2n} + 2x^ny^n + y^{2n}$.
- (85) $x^{2m+n} - x^ny^{2m} - x^{2m}y^{n+2} + y^{2m+n}$.

Answers.

- (79) $x^4 - 4x^3y + 6x^2y^2 - 5xy^3 + y^4$.
 - (80) $px^2 - 4qxy - ry^2$.
 - (81) $x^3 + 3xy^2 - 3x^2y - y^3$.
 - (82) $10x^2 + xyz + 18x + p + q^3$.
 - (83) $x^3 - 3x^2y + 3xy^2 - y^3$.
 - (84) $2x + 2y + 2a$.
 - (85) $a^2 - 3b^2 + 3c^2$. (86) $2y + 2z$.
 - (87) $a - b + c - d$. (88) $a - 7b$.
 - (89) $5a$. (90) $12x - 8y$.
- Multiplication.
- (1) $a^2b + ab^2$. (2) $xyz + y^2z$.
 - (3) $2ab^2c + 3abc^3$. (4) $7a^2c^2bd + 5c^3b^3d$.
 - (5) $6x^3y^2z + x^2y^3z$. (6) $x^3 + y^3$.
 - (7) $x^4 + x^2y^2 + y^4$.
 - (8) $3x^4 + 4x^3y - 4x^2y^2 - 73x^2 + 22xy - 30$.
 - (9) $x^7 + y^7$. (10) $x^5 + 32y^5$.

Answers.

- (16) $4x^3 + 8x^2 + 16x + 32.$
- (17) $x^3 + 3x^2y + 3xy^2 + y^3.$
- (18) $x^{2n} - x^{n+m} + y^{2n}. \quad (19) a + b - c.$
- (20) $x^2 - 2xy - 5y^2. \quad (21) x^2 - ax - b.$
- (22) $px^2 + qx - r. \quad (23) ax - a + x.$
- (24) $-a^5x^2 + 7a^7x^3 + 8a^3x^4.$
- (25) $a^2 - 4ax + 4x^2 - \frac{3x^3}{a+x}.$
- (26) $a^8 + a^6b + ab^2 + 2b^3 + \frac{ab^4 - 3b^5}{a^2 - ab + b^2}.$
- (27) $x^2 + rx + ax + r^2 + ar + b + \frac{r^3 + ar^2 + br^4}{x - r}.$
- (28) $1 + 5x + 15x^2 + 45x^3 + \text{etc.}$
- (29) $1 + 3x + 3x^2 + 3x^3 + \text{etc.}$
- (30) $1 - x + x^2 - x^3 + x^4, \text{ etc.}$

Factoring.

- (1) $7abc(ac^2 - 4).$
- (2) $2x^2y^2(2x^2 - 1).$
- (3) $6xy^2(x + 2y).$
- (4) $ab(2a + c - d).$
- (5) $7x^2y^2(x - y + 2).$
- (6) $5acd(3a + 4c - 3d).$

Answers.

- (26) $x^8 + x^4 + 1.$
- (27) $x^8 - a^2x^6 - b^2x^4 - c^2x^2 - d^2 + 2abx^5 - 2acd^4 + 2adx^3 + 2bcx^3 - 2bdx^2 + 2cdx.$
- (28) $x^5 + 157x - 264.$
- (29) $x^5 - 47x - 720.$
- (30) $a^8 + 2a^6 + 3a^4 + 2a^2 + 1.$

Division.

- (1) $3b - 4x + 2ay. \quad (2) 2a^2 - 3x.$
- (3) $7 + 4x - 9a. \quad (4) 3a + 4b.$
- (5) $-2a^2x + 3ay. \quad (6) a - b.$
- (7) $2x + y. \quad (8) a - x.$
- (9) $a + b. \quad (10) x - y.$
- (11) $a + 2x. \quad (12) a^2 - 2ax + x^2.$
- (13) $a^2 + 4ax + x^2. \quad (14) a - b.$
- (15) $a^2 - 2ay + y^2.$

Answers.

- (31) $(a+3m)(a^2-4am+16m^2)$.
- (32) $(4a^2+6ab+9b^2)(4a^2-6ab+9b^2)$.
- (33) $(a^2b^2+9c^2)(ab+3c)(ab-3c)$.
- (34) $(3x^2y+4xy^2)(3x^2y+4xy^2)$.
- (35) $(2x-3y)(2x-3y)$.
- (36) $c^2(ab+d)(ab-d)$.
- (37) $(x+6)(x+3)$. (38) $2x^2(a+b)(a-b)$.
- (39) $(a+b-c)(a-b+c)$.
- (40) $(a^2+3ab+c^2)(a^2-3ab-c^2)$.
- (41) $(3x-4y)(2x+3y)$.
- (42) $(a+b-c)(a+b+c)$.
- (43) $(2a-b+3c)(3a-2c)$.
- (44) $(x+2y)(x^4-2x^3y+4x^2y^2-8xy^3+16y^4)$.
- (45) $(3x-3y)(3x+3y)(4x^2-6xy+9y^2)$
 $(4x^2+6xy+9y^2)$.

Answers.

- (7) $(a+b)(a+b)$. (8) $(2x+3y)(2x+3y)$.
- (9) $(x+b)(x+b)$. (10) $(2x^2+y)(2x^2+y)$.
- (11) $(2ab+3c)(2ab+3c)$.
- (12) $(4a^2y^2+y^2z^2)(4a^2y^2+y^2z^2)$.
- (13) $(a-b)(a-b)$. (14) $(ax-c)(ax-c)$.
- (15) $(2x-y)(2x-y)$. (16) $(3ab-4ac)(3ab-4ac)$.
- (17) $(2x^2-y)(2x^2-y)$. (18) $(6x-2y)(6x-2y)$.
- (19) $(2xy-z)(2xy-z)$.
- (20) $(a+b)(a-b)$. (21) $(2x+3y)(2x-3y)$.
- (22) $(ac+bd)(ac-bd)$.
- (23) $(3ax+4ay)(3ax-4ay)$.
- (24) $(5a^2b^2x^2+2z)(5a^2b^2x^2-2z)$.
- (25) $(7x^2+4y)(7x^2+4y)$. (26) $(x+6)(x+7)$.
- (27) $(x-3)(x+5)$. (28) $(x-7)(x-8)$.
- (29) $(x+8)(x-9)$.
- (30) $(2a-b)(4a^2+2ab+b^2)$.

Answers.

(31) $x^2 - 3.$

(32) $x + 3.$

(33) $x^2 + x + 1.$

(34) $x^2 - x + 1.$

(35) $x + y + z.$

1. 是

Least common multiple.

(1) $18a^2b^2.$

(2) $24a^2x^2y^2.$

(3) $a^3 - a^2b - ab^2 + b^3.$

(4) $30x^3y^8.$

(5) $18x^2y^3z.$

(6) $12abc^2d^3.$

(7) $ax^2y^2 - bx^2y^2.$

(8) $(a - b)^2(a + b).$

(9) $120x^5(x^2 - y^2)(x - y).$

(10) $4a^2(x^2 - x^2).$

(11) $a^4 + a^3x - ax^3 - x^4.$

(12) $4x^2 - 7.$

(13) $(x + 3)(x + 4)(x + 5).$

(14) $x^5 - 2x^4y + x^3y^3 + x^2y^3 - 2xy^4 + y^5.$

(15) $(x^2 + 2x - 8)(x^2 + 5x + 6).$

(16) $(x^2 - 1)(x + 5).$

(17) $40xy(x^2 - y^2).$

(18) $900x^5(x - y)^3.$

(19) $x^4 + 2x^3 - x - 2.$

(20) $6x^3 + 77x^2 - 3x - 2.$

Answers.

大数

Greatest common divisor.

(1) $14ax.$

(2) $8ax^2y.$

(3) $2x(x - y).$

(4) $a + x.$

(5) $a(a - x).$

(6) $x - y.$

(7) $2c - 3x.$

(8) $4ax^2 - 4ay^2.$

(9) $2x(a + b)^2.$

(10) $x + y.$

(11) $x - 3.$

(12) $3a(x - y).$

(13) $a + 2.$

(14) $a + b.$

(15) $x^2 - b^2$

(16) $x + 3.$

(17) $3x + 3y.$

(18) $x^2 + ax + a^2.$

(19) $5x^3 - 7.$

(20) $a^2 - 2ab + b^2.$

(21) $2x^2.$

(22) $x + 4.$

(23) $3a^{n-1}x^{n-1}.$

(24) $a - b.$

(25) $a + b.$

(26) $x^2 - 3x.$

(27) $x + 2y.$

(28) $3(a + b).$

(29) $x + 3.$

(30) $x - 7.$

or answers.

$$(5) 2 - 3x + \frac{5x^2}{5-x} \quad (6) x + \frac{3-y}{4-x}$$

$$(7) x+7+\frac{3}{x-4} \quad (8) 2y+6+\frac{23}{y-3}$$

Fractional form. (Ex 1)

$$(1) \frac{ac+b}{c} \quad (2) \frac{a^2}{a-x} \quad (3) \frac{x-y+c}{x-y}$$

$$(4) \frac{2ac+ad+d}{c+d} \quad (5) \frac{2x^2}{x-y}$$

$$(6) \frac{(a+b)^2-c^2}{2ab} \quad (7) \frac{2ab(c+d)}{c+2d}$$

Common denominator. (Ex 2)

$$(1) \frac{adx}{bdx}, \frac{bcx}{bdx}, \frac{bd^2}{bdx}. \quad (2) \frac{b^2}{abc}, \frac{c^2}{abc}, \frac{a^2}{abc}$$

$$(3) \frac{a(x+y)}{x^2-y^2}, \frac{a(x-y)}{x^2-y^2}. \quad (4) \frac{xy(x+y)}{(x+y)^2}, \frac{axy}{(x+y)^2}$$

$$(5) \frac{a(x+a)}{a-b}, \frac{a^2}{a-b}, \frac{b(a-x)}{a-b}$$

$$(6) \frac{a}{a^2-x^2}, \frac{b(a+x)}{a^2-x^2}, \frac{c(a-x)}{a^2-x^2}$$

$$(7) \frac{m(a-x)}{4a(a^2-x^2)}, \frac{na}{4a(a^2-x^2)}$$

Answers.

$$(21) a^4+ax^3-ax^3-x^4$$

$$(22) 6x^3-25x^2+23x-6$$

$$(23) (3x-2)(4x^3-4x^2-x+1)$$

$$(24) 16x^4-1. \quad (25) (x^2-4a^2)^3$$

Transformation of fractions.

Lowest terms. (Ex 3)

$$(1) \frac{3ad}{4b}. \quad (2) \frac{2x}{3y}. \quad (3) \frac{5xy}{4ab}$$

$$(4) \frac{2x}{3ab}. \quad (5) \frac{3(a+b)}{4}. \quad (6) \frac{2(x+y)}{x-y}$$

$$(7) \frac{1}{2}(a+x). \quad (8) \frac{x-a}{x+a}. \quad (9) \frac{3a}{2y}$$

$$(10) \frac{3x}{2y}. \quad (11) \frac{x+a}{3(x-a)}. \quad (12) \frac{x+2}{2x^2+2x-1}$$

$$(13) \frac{x-3}{x-4}. \quad (14) \frac{x-a}{4(7x-3a)}. \quad (15) \frac{72x-3y}{6x^2+2y^2}$$

Mixed quantity. (Ex 4)

$$(1) a-x+\frac{2x^2}{a+x}. \quad (2) x-7-\frac{2}{x+2}$$

$$(3) a-2x+\frac{3x^2}{a+x}. \quad (4) x-a+\frac{3}{x-a}$$

Answers.

(8) $\frac{7}{1-ax}$. (9) $\frac{85x-204}{84}$. (10) 0.

Subtraction of fractions.

(1) $\frac{8ax}{a^2-4x^2}$. (2) $2a + \frac{3(a-b)}{c}$.

(3) $\frac{21x+23y}{20}$. (4) $\frac{a^2+x^2}{a^2-x^2}$.

(5) $\frac{4xy}{x^2-y^2}$. (6) $a - \frac{4x}{a^2-x^2}$.

(7) $\frac{137x+5}{105}$. (8) $\frac{x+y-1}{y^2-x^2}$.

(9) $\frac{4a}{a+x}$. (10) $\frac{81a-4b}{84}$.

Multiplication of fractions.

(1) $\frac{27ax}{200cy}$. (2) $\frac{2x(x+y)}{3}$. (3) 2.

(4) $\frac{3abc^2y}{2c}$. (5) $\frac{18yx^2yz}{9bcd}$.

(6) $\frac{74x^2-12x}{75}$. (7) $\frac{2(x+y)}{a}$. (8) $\frac{3ax^2}{a(4-x)}$.

(9) $\frac{4x(x-2)}{3}$. (10) $\frac{(ax+b)(bx+a)}{x^2}$.

(11) $\frac{(72+x)(x^2+4)}{4x}$. (12) $2x(a+b)$.

Answers.

(8) $\frac{45x}{60}, \frac{40}{\dots}, \frac{48x^2}{\dots}$. (9) $\frac{7ab}{75}, \frac{48c}{\dots}, \frac{13d}{\dots}$.

(10) $\frac{12a}{12}, \frac{9b^2}{\dots}, \frac{10c^3}{\dots}$.

(11) $\frac{x(1-x)^2}{(1-x)^3}, \frac{x^2(1-x)}{\dots}, \frac{x^3}{\dots}$.

(12) $\frac{3bx^2(a^2-x^2)}{x(a^2-x^2)}, \frac{ax(a-x)}{\dots}, \frac{bx}{\dots}, \frac{c(a^2-x^2)}{\dots}$.

(13) $\frac{cx(a+x)}{a^2-x^2}, \frac{dx^2(a-x)}{\dots}, \frac{x^3(a-x)}{\dots}$.

(14) $\frac{4x^3}{x^3(c-x)}, \frac{5x(c-x)}{\dots}, \frac{6(c-x)}{\dots}$.

(15) $\frac{4y(a^4-x^4)}{y(a^4-x^4)}, \frac{5y(a^2+x^2)}{\dots}, \frac{6y(a^2-x^2)}{\dots}, \frac{7(a^4-x^4)}{\dots}$.

Addition of fractions.

(1) $\frac{(4a^2+4a+3x)b+2a^2}{5a^2b}$.

(2) $\frac{2a+3b+4}{a^2b^2}$.

(3) $\frac{6x^2+5ax+8a}{7.2x^2}$.

(4) $\frac{a^2+b^2}{a^2-b^2}$.

(5) $\frac{7}{1-x}$.

(6) $\frac{4x^2-5x+3}{(x-1)^2}$.

(7) $\frac{1}{(1+a)(1-x)}$.

Answers.

- $$(8) \frac{2a+x}{cx+cx+x^2} \quad (9) \frac{x}{y}$$
- $$(10) \frac{x-2}{x+2} \quad (11) \frac{abc}{ab+ac+bc}$$
- $$(12) a^3+a+\frac{1}{a}+\frac{1}{a^3} \quad (13) \frac{x+y}{y}$$
- $$(14) 1 \quad (15) 1$$

Miscellaneous Examples.

- $$(1) a^2+b^2 \quad (2) \frac{4a}{a^4-1} \quad (3) y \quad (4)$$
- $$(4) \frac{2}{x+y} \quad (5) \frac{y}{x-y} \quad (6) y$$
- $$(7) \frac{18(2y+15)}{16y^4-81} \quad (8) x+\frac{x^4}{(7-x)^3} \quad (9) 1$$
- $$(10) \frac{(x-4)(x-1)}{x^2} \quad (11) x^{2m}+2$$
- $$(12) \frac{4a(a^2-x^2)}{3b(c^2-x^2)} \quad (13) \frac{a+bx}{b+ax}$$
- $$(14) \frac{a^2-x^2}{a^2+x^2} \quad (15) \frac{a^2x(b+2x)+a(x+b)-1}{b(x-a)}$$

Answers.

- $$(16) \frac{2y(3x^2+7)}{6} \quad (17) \frac{x^2-1}{y}$$
- $$(18) m^2+1+\frac{1}{m^2} \quad (19) \frac{x^4-y^4}{x^2y}$$
- $$(20) \frac{ax}{a^2-x^2} \quad (21) \frac{a^3(a-b)}{x}$$
- $$(22) x^2 \quad (23) \frac{(a-x)^3}{a^3+a^2x+ax^2+x^3}$$
- $$(24) x^2+1+\frac{1}{x^2} \quad (25) \frac{b-3a}{2ab}$$
- $$(26) \frac{(a^2+b^2)c}{(a+b)(a+c)(b+c)} \quad (27) 2$$
- $$(28) \frac{a^2-ab+b^2}{a^2+ab+b^2} \quad (29) \frac{x^4}{a^4}+\frac{x^2}{a^2}+1$$
- $$(30) \frac{2(a-b)^2}{3b^2(a+b)}$$

Division of fractions.

- $$(1) \frac{3a}{a-b} \quad (2) \frac{3}{4} \quad (3) x^2-y^2$$
- $$(4) \frac{x}{x-a} \quad (5) (x-a)^2$$
- $$(6) \frac{x^3+x^2y+xy^2+y^3}{a+b} \quad (7) \frac{ax^2+a}{x}$$

Answers.

- (40) $\frac{2}{3}$. (41) 56. (42) 7.
 (43) 7. (44) $8\frac{3}{5}$. (45) $4\frac{1}{2}$.
 (46) $2\frac{3}{7}$. (47) $1\frac{4}{7}$. (48) 3.
 (49) 2. (50) 12.

*equations of the First Degree with
two unknown quantities.*

- (1) $x=6, y=15$. (2) $x=2, y=3$.
 (3) $x=3, y=3$. (4) $x=4, y=2$.
 (5) $x=1, y=4$. (6) $x=1, y=6$.
 (7) $x=\frac{1}{2}, y=3$. (8) $x=7, y=\frac{1}{3}$.
 (9) $x=9, y=12$. (10) $x=10, y=4$.
 (11) $x=4, y=6$. (12) $x=3, y=5$.
 (13) $x=12, y=18$. (14) $x=18, y=6$.
 (15) $x=2, y=13$. (16) $x=8, y=7$.
 (17) $x=-6, y=12$. (18) $x=10, y=20$.
 (19) $x=7, y=11$. (20) $x=.4, y=-.1$.

Answers.

*equations of the First Degree with
one unknown quantity.*

- (1) $\frac{10}{77}$. (2) $3\frac{9}{22}$. (3) $2\frac{34}{53}$.
 (4) 8. (5) $6\frac{2}{3}$. (6) 0.
 (7) $37\frac{6}{19}$. (8) $4\frac{1}{4}$. (9) $\frac{2}{3}$.
 (10) $1\frac{3}{79}$. (11) 5. (12) $\frac{1}{ab}$.
 (13) 2. (14) 12. (15) -a.
 (16) 77. (17) 10. (18) 5.
 (19) $\frac{67}{83}$. (20) $\frac{80}{67}$. (21) $2.5a+24.6$.
 (22) $\frac{a^2-b^2}{b-4a}$. (23) $\frac{3b}{3a-2b}$. (24) $\frac{a^2-b^2}{c}$.
 (25) $-\frac{2}{9}$. (26) $23\frac{1}{4}$. (27) 2.
 (28) 12. (29) $7\frac{1}{3}$. (30) $3\frac{2}{71}$.
 (31) 19. (32) $\frac{6(h-g)}{a-bd}$. (33) 4.
 (34) $\frac{43}{9}$. (35) 72. (36) 4.
 (37) 9. (38) 4. (39) 1.

Answers.

- (4) $x = 3, y = 7, z = 4.$
- (5) $x = 24, y = 60, z = 120.$
- (6) $x = 4, y = 6, z = 2.$
- (7) $x = 62, y = 46, z = 34.$
- (8) $x = 10, y = 7, z = 3.$
- (9) $x = \frac{7}{2}, y = \frac{1}{3}, z = \frac{7}{4}.$
- (10) $x = 6, y = 9, z = \frac{1}{3}.$
- (11) $x = 8, y = 4, z = 2.$
- (12) $x = 10, y = 2, z = 3.$
- (13) $x = 4, y = 3, z = 5.$
- (14) $x = 3, y = 4, z = 6.$
- (15) $x = \frac{7}{6}, y = -\frac{7}{2}, z = \frac{21}{10}.$
- (16) $x = 2, y = 3, z = 7.$
- (17) $x = 4, y = 9, z = 16, u = 25.$
- (18) $a = 4, x = 12, y = 5, z = 7.$
- (19) $x = 3, y = 7, u = 9, z = 5.$

Answers.

- (21) $x = y = \frac{a}{b}.$
- (22) $x = y = m + n.$
- (23) $x = .02, y = 2.9.$
- (24) $x = \frac{(ab+ac-bc)abc}{b^2a^2+a^2c^2-b^2c^2},$
 $y = \frac{(ac-ab-bc)abc}{b^2a^2+a^2c^2-b^2c^2}.$
- (25) $x = 7, y = 4.$
- (26) $x = 3a, y = -2b.$
- (27) $x = 4, y = 1.$
- (28) $x = \frac{10}{3}, y = \frac{20}{3}.$
- (29) $x = \frac{nc+bd}{mb+na}, y = \frac{mc-ad}{mb+na}.$
- (30) $x = 12, y = 6.$

*equations of the First Degree with
more than two unknown
quantities.*

- (1) $x = 4, y = 2, z = 2.$
- (2) $x = 1, y = 2, z = 3.$
- (3) $x = 2, y = 2, z = 3.$

Answers.

(76) $c^6 - 6c^5d + 15c^4d^2 - 20c^3d^3 + 15c^2d^4 - 6cd^5 + d^6.$

(77) $1 + 4x + 10x^2 + 12x^3 + 9x^4.$

(78) $a^3 + 3ab^2 - 3a^2b + 3b^2a + 3c^2a + b^3 - 6abc - 3b^2c + 3c^2b - c^3.$

(79) $1 + 6x + 15x^2 + 20x^3 + 15x^4 + 6x^5 + x^6.$

(80) $1 - 6x + 15x^2 - 20x^3 + 15x^4 - 6x^5 + x^6.$

Square roots. ~~TR~~

(1) $a^2 - a + 1.$ (2) $3x - 5a - \frac{a^2}{2}.$

(3) $2x^2 + 2ax + 2b^2$ (4) $\frac{a}{b} + \frac{b}{a} + 1.$

(5) $\frac{x}{2} + \frac{y}{3} - \frac{z}{4}.$ (6) $\frac{x}{3} + \frac{2y}{5} - \frac{z}{4}.$

(7) $x^2 + px - q.$ (8) $x - x^{-1} - 2.$

(9) $2x^2 + 3x - 1.$ (10) $2x^2 - x + 1.$

(11) $2x^2 - 3ax + 4a^2$

(12) $5x^2 - 3ax + 4a^2$

Answers.

(20) $x = 2, y = 1, z = 3, u = -1, v = -2.$

Involution.

(1) $8a^6y^3x^9.$ (2) $-8a^3x^3y^6.$

(3) $87a^8b^4c^2x^4.$ (4) $a^{-4}.$

(5) $x^6y^{-2}.$ (6) $\frac{7}{3}x^{-4}y^{-6}.$

(7) $\frac{7}{4}x^4y^6.$ (8) $a^{-3}x^{-6}y^{-9}z^6.$

(9) $a^3 + 3a^2b + 3ab^2 + b^3$

(10) $c^4 + 4c^3d + 6c^2d^2 + 4cd^3 + d^4.$

(11) $a^5 + 5a^4b + 10a^3b^2 + 10a^2b^3 + 5ab^4 + b^5.$

(12) $a^6 + 6a^5b + 15a^4b^2 + 20a^3b^3 + 15a^2b^4 + 6ab^5 + b^6.$

(13) $a^3 - 3a^2b + 3ab^2 - b^3.$

(14) $c^4 - 4c^3d + 6c^2d^2 - 4cd^3 + d^4.$

(15) $a^5 - 5a^4b + 10a^3b^2 - 10a^2b^3 + 5ab^4 - b^5.$

Answers.

- (3) $\sqrt[2]{(a+x)^6}$, $\sqrt[3]{(a-x)^4}$, $\sqrt[12]{(a^2-x^2)^3}$.
- (4) $2\sqrt[6]{(\frac{8}{27})}$, $\sqrt[6]{4}$, $5\sqrt[6]{27}$.
- (5) $(a^{12}x^{12})^{\frac{1}{12}}$, $(b^6x^6)^{\frac{1}{12}}$, $(c^4x^4)^{\frac{1}{12}}$, $(d^3x^3)^{\frac{1}{12}}$.
- (6) $(cx^2)^{\frac{4}{3}}$, $(dx^3)^{\frac{1}{3}}$, $(x^4)^{\frac{2}{3}}$.
- (7) $\sqrt[6]{49}$, $\sqrt[6]{1000}$, $\sqrt[6]{\frac{161}{49}}$.
- (8) $\sqrt{\frac{1}{2}}$, $\sqrt{\frac{4}{9}}$, $\sqrt{17}$.
- (9) $\sqrt[6]{36}$, $\sqrt[6]{(19)^3}$, $\sqrt[6]{189}$, $\sqrt[6]{(71)^3}$.
- (10) $\sqrt[3]{8}$, $\sqrt[3]{32}$, $\sqrt[3]{64}$, $\sqrt[3]{17}$.

Theory of Indices.

- (1) $x^{\frac{4}{3}}$. (2) $a^{\frac{17}{60}}$. (3) $y^{\frac{1}{3}}$. (4) 1.
 $(bx)^{\frac{1}{6}}$.
- (5) $a^{\frac{3}{2}}b^{\frac{1}{2}} + a^{\frac{1}{2}}b^{\frac{1}{2}} + a^{-\frac{1}{2}}b^{\frac{3}{2}}$.
- (6) $x^{\frac{5}{2}} + x^{\frac{3}{2}}y - xy^{\frac{5}{2}} - y^{\frac{5}{2}}$. (7) $a^k - 1$.
- (8) $a + a^{\frac{1}{3}} - 1 + a^{-\frac{1}{3}} + a^{-1}$.
- (9) $-4a^{-7}b^{-1} + 9a^{-9}b$. (10) $x + y$.

Answers.

- (13) $(x-a)^3$. (14) a^2+b^2 .
- (15) $(a^2+b^2)(c^2+d^2)$. (16) $a^2-b^2+c^2-d^2$.
- (17) $3a^m - 5c^{m+2} + a^{2m+7}$.
- (18) $7x^2 - \frac{x}{3} + 3$.
- (19) $1 + \frac{x}{2} - \frac{x^2}{8} + \frac{x^3}{76} - \infty c$.
- (20) $\frac{x^2}{2y^2} + \frac{2y^2}{x^2} + 1$.

Cube roots.

- (21) $2x-1$. (22) x^2-2x+1 .
- (23) $4a^2-6a$. (24) $1-2x+3x^2$.
- (25) $a+b-c$. (26) $2x+3y-2z$.
- (27) $2x^2-3x+1$. (28) $2x^2+4cx-3c^2$.
- (29) $-2x^2-3cx+4c^2$. (30) $x-\frac{1}{x}-1$.

Common index.

- (1) $(2^{12})^{\frac{1}{12}}$, $(3^4)^{\frac{1}{12}}$, $(ab)^{\frac{1}{12}}$, $(b^3)^{\frac{1}{12}}$.
- (2) $(a^3)^{\frac{1}{6}}$, $(b^{12})^{\frac{1}{6}}$, $(c^4)^{\frac{1}{6}}$, $(d^4)^{\frac{1}{6}}$.

Answers.

- $$(23) 2\sqrt[6]{200}. \quad (24) \sqrt[6]{\frac{x^2}{256}}.$$
- $$(25) \frac{7}{96}\sqrt[3]{\frac{7}{6}}. \quad (26) \sqrt[3]{x^2+4\sqrt{x}} + 8\sqrt[3]{x+8\sqrt[6]{x}}.$$
- $$(27) a-x^2. \quad (28) x^2+px-q.$$
- $$(29) \frac{ax^2}{b^3} - \frac{c}{d}. \quad (30) \sqrt[3]{a^{-1}} - \sqrt[3]{(ab)^2}.$$
- $$(31) \frac{28}{39}\sqrt[3]{\frac{70}{3}}. \quad (32) \frac{7}{30}. \quad (33) \frac{2}{3}\sqrt{\frac{a}{b}}.$$
- $$(34) \frac{3}{2}\sqrt[6]{\frac{8}{3}}. \quad (35) 2\sqrt[6]{\frac{a^3}{2b^2x}}.$$
- $$(36) \sqrt{x} - \sqrt[4]{xy} + \sqrt{y}.$$
- $$(37) 8x^{\frac{3}{4}} + 2x^{\frac{1}{2}}y + \frac{1}{2}x^{\frac{1}{4}}y^2 + \frac{1}{8}y^3.$$
- $$(38) -2(2-\sqrt{3}). \quad (39) -3(\sqrt{2}+\sqrt{3}).$$
- $$(40) \frac{44+8\sqrt{3}}{709}. \quad (41) \frac{24-3\sqrt{2}}{62}.$$
- $$(42) \sqrt{2} - \sqrt{\frac{1}{2}} + \sqrt{10} - 2. \quad (43) \sqrt{3} - 1.$$
- $$(44) \frac{a}{x} + \sqrt{\left(\frac{a^2}{x^2} - 1\right)}. \quad (45) \frac{7}{5}\sqrt{15}.$$
- $$(46) 3 + \sqrt{5}. \quad (47) \sqrt{17} - \sqrt{7}.$$

Answers.

- $$(48) x^{\frac{2}{3}} - x^{\frac{1}{3}}y^{\frac{2}{3}} + y^{\frac{2}{3}}. \quad (49) a^n + 1 + a^{-n}.$$
- $$(50) 2x^2 - 3xy + 2y^2.$$
- $$(51) a + a^{\frac{1}{2}}b^{\frac{1}{2}} - b. \quad (52) \frac{x+a}{x^2+3xa+a^2}.$$

Miscellaneous Examples.

- $$(53) 18\sqrt[6]{2}. \quad (54) 37\sqrt[6]{2}. \quad (55) \frac{43}{705}\sqrt[6]{75}.$$
- $$(56) \frac{8}{5}\sqrt[3]{6}. \quad (57) 25a^2x\sqrt[3]{(3x)}.$$
- $$(58) 9\sqrt[3]{2a}. \quad (59) \frac{31}{3}\sqrt[3]{3}.$$
- $$(60) 18ab^3\sqrt[3]{(2a^2b^2)}. \quad (61) 4\sqrt{5}.$$
- $$(62) -3a^2b^3\sqrt[3]{b}. \quad (63) 2a\sqrt{a}.$$
- $$(64) \frac{37}{90}\sqrt[3]{6}. \quad (65) 5a\sqrt{b}.$$
- $$(66) (73a-5b)\sqrt{2a}.$$
- $$(67) (a-x-\frac{1}{a-x})\sqrt{(a^2-x^2)}. \quad (68) 7\sqrt[3]{3}-8.$$
- $$(69) 96\sqrt[6]{b}. \quad (70) \frac{21}{24}\sqrt[3]{4}.$$
- $$(71) 24\sqrt{b}. \quad (72) \frac{7}{2}\sqrt[3]{b}.$$
- $$(73) \frac{25a^2}{2}\sqrt{(ab)}. \quad (74) 4a^2b^2.$$

方程解法二

Answers.

Radical Equations.

- (7) 9.
- (2) $\frac{4n}{(1+n)^2}$.
- (3) $a^{\frac{4a^2}{a^2+4}}$.
- (4) 81.
- (5) $\frac{ac}{a+b}$.
- (6) $16a$.
- (7) 3.
- (8) 25.
- (9) 4.
- (10) 2.
- (11) 6.
- (12) $12x$.
- (13) $\frac{25a}{16}$.
- (14) $\frac{a^2+a}{5-2a}$.
- (15) $a=7$.
- (16) $42\frac{7}{4}$.
- (17) $\frac{4a^2+7}{4a}$.
- (18) $\frac{5a}{4}$.
- (19) $\frac{9a}{10}$.
- (20) ± 7 .

Equations of the Second Degree with
but one unknown quantity.

- (1) $3, \frac{5}{3}$.
- (2) $4, -\frac{7}{3}$.
- (3) $36, 7x$.
- (4) $\frac{27}{5}, -3$.
- (5) $12, -2$.
- (6) $b \pm \sqrt{b^2+4ac}$.
- (7) $3, \frac{27}{77}$.

Answers.

- (48) $7+3\sqrt{5}$.
- (49) $5+\sqrt{3}$.
- (50) $a-2\sqrt{(ab)-b}$.
- (51) $7+\sqrt{3}$.
- (52) $2-\sqrt{3}$.
- (53) $\sqrt{5}+\sqrt{2}$.
- (54) $\sqrt{70}+2\sqrt{2}$.
- (55) $3\sqrt{7}-2\sqrt{3}$.
- (56) $\sqrt{\frac{25}{2}}+\sqrt{\frac{7}{2}}$.
- (57) $\sqrt{\left\{\frac{(a+c)(b+c)}{2}\right\}}+\sqrt{\left\{\frac{(a-c)(b-c)}{2}\right\}}$.
- (58) $\sqrt[4]{3}\left(\frac{3}{\sqrt{2}}-\frac{\sqrt{3}}{\sqrt{2}}\right)$.
- (59) $\sqrt[4]{(7-c^2)}\left\{\sqrt{\left(\frac{1+c}{2}\right)}+\sqrt{\left(\frac{7-c}{2}\right)}\right\}$.
- (60) $7+\sqrt{2}+\sqrt{3}$.
- (61) $7+\sqrt{\frac{5}{2}}-\sqrt{\frac{3}{2}}$.
- (62) $\sqrt{6}+\sqrt{3}-\sqrt{5}=7$.
- (63) $7+\sqrt{3}+\sqrt{7}$.
- (64) $-2+\sqrt{2}-\sqrt{5}$.
- (65) $7+\sqrt{3}$.
- (66) $7+\sqrt{5}$.
- (67) $\sqrt{2}-\sqrt{2}$.
- (68) $\sqrt{6}-\sqrt{3}$.
- (69) $\sqrt{6}-\sqrt{5}$.
- (70) 1.

Answers.

- (43) 5, -3. (44) 29, -70. (45) 10, -89.
- (46) 3, $-\frac{4}{5}$. (47) 1, $-\frac{3}{5}$. (48) $2\frac{1}{4}$, $\frac{42}{5}$.
- (49) 8, -8. (50) $2 + \sqrt{3}$, $-2(2 + \sqrt{3})$.
- (51) 8, $\frac{125}{64}$. (52) 8, $(-\frac{13}{7}\sqrt{2})^2$.
- (53) ± 2 , $\pm\sqrt{10}$. (54) $\frac{17}{4}$, $\frac{1}{4}$.
- (55) $\frac{1}{2}$, $\frac{7}{4}$. (56) 16, $(-\frac{11}{5})^4$.
- (57) $(-1)^{\frac{4}{3}}$, $(\frac{7}{3})^{\frac{4}{3}}$. (58) 4, -7.
- (59) $2^{\frac{n}{2}}$, $\frac{7}{2^{\frac{n}{2}}}$. (60) 9, $-\frac{19}{5}$. (61) ± 5 .
- (62) $\frac{\pm\sqrt{4ab-b^2}}{2}$. (63) 16, 0.
- (64) 18, 3. (65) 0, $\frac{a(1\pm\sqrt{(-8)})^6}{36}$.
- (66) 0, $\frac{\pm\sqrt{3}}{2}a$. (67) $x^2 = \frac{n}{n-2}$ or $\frac{n}{n+1}$.
- (68) $x^2 = -ab \pm \frac{1}{2}\sqrt{(3a^4+3b^4-6a^2b^2)}$.
- (69) $\sqrt{x} = \frac{-(2+a)\pm\sqrt{(2a^3+3a^2)}}{2+2a}$.

Answers.

- (8) 2. (9) 6, $-\frac{75}{4}$. (10) 4, $-8\frac{3}{25}$.
- (11) a, b. (12) 3, $-\frac{77}{4}$. (13) 2, -3.
- (14) 27, 5. (15) -7. (16) $\frac{9\pm\sqrt{745}}{2}$.
- (17) $9\frac{75}{77}$, -77. (18) $\frac{3}{2}$, $-\frac{5}{6}$. (19) 7, $\frac{4}{5}$.
- (20) 17, -73. (21) 5, -2. (22) 1, $-\frac{2}{9}$.
- (23) $\frac{3\pm\sqrt{687}}{14}$. (24) 3, 2. (25) 80, -120.
- (26) 2, $\sqrt[3]{(-4)}$. (27) $\pm\sqrt{3}$, $\pm\sqrt{(-7)}$.
- (28) ± 3 , $\pm\sqrt{(-7)}$. (29) 4, $\sqrt[3]{49}$.
- (30) $\sqrt[3]{3}$, $\sqrt[3]{(-23)}$. (31) 25, 3.
- (32) 4, $-\frac{64}{3}$. (33) $4\frac{7}{4}$, $\frac{7}{4}$.
- (34) 78, 3. (35) $\frac{n}{m-a}$, $\frac{n}{mn-a}$.
- (36) ± 7 , ± 5 . (37) $\frac{3}{5}$, -7.
- (38) 7, $-\frac{7}{9}$. (39) 3, $-\frac{24}{73}$.
- (40) 2, 16. (41) -2, -16. (42) 3, -5.

Answers.

$$(95) 1, \frac{47-44\sqrt{6}}{23}. \quad (96) 1, \frac{(\sqrt{a}+\sqrt{b})^2+4}{(\sqrt{a}-\sqrt{b})^2-4}$$

$$(97) x = \frac{5}{4}. \quad (98) 0, -1.$$

$$(99) 0, \frac{1}{2}\{a+b+c \pm \sqrt{(a^2+b^2+c^2-2bc)} \\ - 2ac - 2ab\}$$

$$(100) 0, \pm \sqrt{a^2+b^2}.$$

General Properties of Equations.

$$(1) 3(x-5)(x+\frac{5}{3}). \quad (2) (x+60)(x+13).$$

$$(3) 2(x+2)(x-\frac{3}{2}). \quad (4) (x-6x)(x-3b).$$

$$(5) 5(x-5)(x+\frac{22}{5}). \quad (6) x^2-14x+48=0.$$

$$(7) x^2-9x+20=0. \quad (8) x^2+x-2=0.$$

$$(9) x^2-2x-4=0. \quad (10) x^2+x=6.$$

$$(11) x^2-\frac{13}{3}x=\frac{16}{3}. \quad (12) x^2-(a+b)x=ab.$$

$$(13) x^2-\frac{58}{21}x=-1. \quad (14) x^2+10x=-21.$$

Answers.

$$(70) 1, \frac{c^2-2}{(c+2)^2}. \quad (71) 0, \pm \frac{a\sqrt{3}}{2}$$

$$(72) 2a, -2a. \quad (73) 1, -\frac{35}{3}.$$

$$(74) 1, \frac{1}{2a}. \quad (75) \pm 2a, \pm 2a\sqrt{(-1)}.$$

$$(76) x^2=0, 07 \cdot \frac{4c^2a}{(c^2-1)^2b}. \quad (77) \frac{1}{2}, -\frac{25}{6}.$$

$$(78) \pm a, \pm \frac{1}{a}. \quad (79) \pm \frac{5a}{3}, \pm \frac{a\sqrt{(-37)}}{2}.$$

$$(80) 5, -8. \quad (81) \frac{a}{2}(7 \pm \sqrt{5}). \quad (82) \pm \sqrt{2}.$$

$$(83) x^2 = \frac{m^4-4m^2}{4(m^2-1)}. \quad (84) x^2=9.$$

$$(85) x^2 = \frac{a^4-16}{7a^2-2b^2}. \quad (86) x^2 = \frac{2 \pm \sqrt{2}}{2}.$$

$$(87) \{c = \sqrt{(c^2-1)}\}^{\frac{2p+q}{q-p}}. \quad (88) 0, \frac{16}{25}.$$

$$(89) \pm 2a, \pm a\sqrt{(-6)}. \quad (90) \frac{3}{2}, \frac{2}{3}.$$

$$(91) 5. \quad (92) 0, -\frac{4(a+b)(a^2+b^2)}{3ab^2+2b^2+10ab}.$$

$$(93) 8, -\frac{23}{5}. \quad (94) \frac{ac^2}{6b}.$$

Answers.

(20) $x=3, y=1.$ (21) $x=5, y=4.$

(22) $x=\frac{6}{2a}(a^2+1), y=\frac{6}{2a}(a^2-1).$

(23) $x=10, y=75.$ (24) $x=9, y=3.$

(25) $x=4, y=20.$

(26) $x=2, 5; y=6, 3.$

(27) $x=\pm 7, \pm 4; y=\pm 4, \pm 7.$

(28) $x=-1, \frac{5}{3}; y=-1, \frac{3}{5}.$

(29) $x=1, y=7.$ (30) $x=\pm 3, \pm 8; y=\pm 5.$

(31) $x=5, \frac{333}{28}; y=9, \frac{310}{84}.$

(32) $x=\pm 3, \pm 3b; y=\pm 5, \mp \frac{23}{2}.$

(33) $x=\pm 3, \pm \frac{5}{\sqrt{2}}; y=\pm 2, \pm \frac{1}{\sqrt{2}}.$

(34) $x=\pm 2, \pm \sqrt{\frac{2}{5}}; y=\pm \frac{1}{2}, \pm 2\sqrt{\frac{2}{5}}.$

(35) $x=\pm 3, \pm \frac{8}{\sqrt{6}}; y=\pm 7, \pm \frac{1}{\sqrt{6}}.$

(36) $x=\pm 4, \pm 3\sqrt{3}; y=\pm 5, \pm \sqrt{3}.$

Answers.

(15) $x^2 - \frac{7}{4}x = \frac{15}{8}.$

equations involving several unknown quantities.

(1) $x=2, 12\frac{5}{73}; y=3, -\frac{6}{73}.$

(2) $x=11, 9; y=9, 11.$

(3) $x=75, -73; y=73, -75.$

(4) $x=7, 4; y=4, 7.$

(5) $x=5, 7; y=7, 5.$

(6) $x=5, y=3.$ (7) $x=2, y=3.$

(8) $x=6, y=5.$ (9) $x=3, y=4.$

(10) $x=5, y=2.$ (11) $x=4, y=3.$

(12) $x=7, y=4.$ (13) $x=25, y=16.$

(14) $x=5, y=4.$ (15) $x=4, y=2.$

(16) $x=4, y=5.$ (17) $x=3, y=2.$

(18) $x=3, y=2.$ (19) $x=6, y=5.$

Answers.

- (52) $x = 3, 2; y = 2, 3.$
- (53) $x = 8, 4; y = 4, 0.$
- (54) $x = 5, 13; y = 4, 12.$
- (55) $x = 4, y = 1.$ (56) $x = 1, 4; y = 4, 1.$
- (57) $x = 2, 3; y = 3, 2.$
- (58) $x = \pm 2, y = \pm 2;$ or $x = \pm 2, y = \mp 2.$
- (59) $x = 3, y = 1; x = 1, y = 3.$
- (60) $x = 5, -2; y = 2, -5.$
- (61) $x = \pm 2, \pm 1; y = \pm 1, \pm 2.$
- (62) $x = \frac{1}{4}(9 \pm \sqrt{73}), y = \frac{1}{4}(9 + \sqrt{73}).$
- (63) $x = \pm 3, \pm 2; y = \pm 2, \pm 3.$
- (64) $x = \pm 5 \pm 3; y = \pm 3, \pm 5.$
- (65) $x = \pm 3, \pm 2; y = \pm 2, \pm 3.$
- (66) $x = \pm \sqrt{(-3)}, \pm \sqrt{3}; y = 3 \mp \sqrt{(-3)} \pm 2\sqrt{3}$
or $\mp 2\sqrt{3}.$
- (67) $x = 8, 2; y = 2, 8.$

Answers.

- (37) $x = \pm \frac{15}{\sqrt{27}}, y = \pm \frac{3}{\sqrt{27}}.$
- (38) $x = 3, -\frac{53}{27}, y = -4, \frac{227}{27}.$
- (39) $x = \pm \sqrt{\frac{5}{2}}; y = 2 \mp \sqrt{\frac{5}{2}}.$
- (40) $x = \pm 6, y = \pm 3, \mp 3.$
- (41) $x = \pm 3\sqrt{2}; y = \pm \sqrt{2}, \mp \sqrt{2}.$
- (42) $x = 0, -1; y = 0, -\frac{12}{5}.$
- (43) $x = 0, 4; y = 0, 5.$
- (44) $x = 0, 75; y = 0, 45.$
- (45) $x = 0, 2, \pm \sqrt{2}; y = 0, 2, 2 \mp \sqrt{2}.$
- (46) $x = 0, 4, -2; y = 0, 2, -4.$
- (47) $x = 5, \frac{27}{5}; y = 3, \frac{7}{5}.$
- (48) $x = 4, 2; y = 2, 4.$
- (49) $x = 2, 0; y = 0, -2.$
- (50) $x = 1, 4; y = 4, 1.$
- (51) $x = 1, 10; y = 10, 1.$

Answers.

(68) $x = 9, 4; y = 4, 9.$

(69) $x = 8, 64, \cancel{y = 64}, 8.$

(70) $x = 4, 9; y = 9, 4.$

(71) $x = 2, 8; y = 8, 2.$

(72) $x = \pm 1, y = 3. (73) x = \frac{a}{2}, y = \frac{b}{2}.$

(74) $x^2 = \pm \frac{5a^2}{3}, \pm a^2; y^2 = \frac{4a^2}{3}, 0.$

(75) $x = 5, y = 3.$

(76) $x = 0, 2a; y = b, -b; z = 0, -0.$

(77) $x = \frac{1}{2}, \frac{2}{3}; y = \frac{1}{3}, \frac{15}{73}; z = \frac{1}{4}, \frac{15}{44}.$

(78) $x = \pm 3, y = \pm \frac{7}{2}, z = \pm \frac{3}{2}.$

(79) $z = 6, x = 4, y = 5;$

$z = -\frac{5}{2}, x = \frac{355}{42}, y = \frac{790}{21}.$

(80) $x = 2, 2, 3, 3, 4, 4.$

$y = 3, 4, 2, 4, 2, 3.$

$z = 4, 3, 4, 2, 3, 2.$

図書 和図書 邇



a 1380985977a

福岡教育大学蔵書